




PHILIPS

Indoor/Outdoor

Luminaire Smart Service Guide

U.S. Service Smart and Spec Smart
product portfolio for Indoor
and Outdoor luminaires

Updated October 2014

Contents

Accent/Track Lighting5

CorePro Mini Cylinder	6
Alcyon LED	6
Alcyon LED Vertical	6
Alcyon LED Recessed	7
Alcyon LED Vertical Accessories	7
Spot LED Track	8
Spot LED Recessed	8
Mini LED Micro	8
Mini HID	9
Alcyon	9
SofTech	9
Mini Universal	9
Rings	10
Roundback Cylinder	10
Step Cylinder	10
ParTech	11
Lasso	11
Miniforms	11
PowerWash	11
Tangent	11
Track Head Accessories	12
Basic Track & Accessories	12
Radius Track & Accessories	13
Advent Track & Accessories	13
PowerTrip	14
Track Accessories	14

Lytecaster Downlighting . .15

SlimSurface LED	16
Corepro LED Downlight	16
Lytening LED 5"	17
Xceed LED 5" Round & Square	17
Uniframe LED 5" frames	17
Uniframe LED 6 3/4" frames	18
Uniframe LED Retrofit Kit	18
Xceed Round CFL 5"	18
Low Profile CFL 6 3/4"	18
Uniframe CFL 3 3/4"	19
Uniframe CFL 5"	19
Uniframe CFL 6 3/4"	19
Lytecaster Incandescent 3 3/4"	19
Lytening Incandescent & CFL 5"	20
Lytecaster Incandescent 5"	20
Lytening Incandescent 6 3/4"	21
Lytecaster MR16 3 3/4"	21
Lytepoints MR16 3 3/4"	22
C1 Modular	22
Lytecaster Accessories	22
C Plus 4" & C Plus 6"	23

Calculite Downlighting. . .24

Calculite LED 1 3/4"	24
Calculite Evolution LED 3"	24
Calculite MR16 3" Low Voltage	24
Calculite MR16 4" Low Voltage	24
Calculite CFL 4"	25
Calculite Incandescent 4", 6", 7"	25
Calculite CFL 6"	25
Calculite CFL 7"	25

Calculite CFL Rectilinears	26
Calculite CFL 8"	26
Calculite White LED 4" Adj. Accent	26
Calculite White LED 4" Round	26
Calculite White LED 6" Round	27
Calculite White LED 4" Square	27
Calculite White LED 6" Square	28
Calculite White LED 7" Round	28
Calculite White LED 8" Round	28
Calculite White LED 7" Cylinder	29
Calculite Accessories	29
Revelation Accessories	29
Revelation LED Square 4"	29
Revelation LED Round 4"	30
Revelation LED Round 6"	30
Revelation LED Round 8"	30

Recessed31

Coffaire LED Recessed	32
Coffaire Recessed	32
Arioso Recessed	32
HP90 LED Recessed	32
HP90 Recessed	33
HVA Recessed	33
DuaLED LED Recessed	33
DayLine LED Recessed	34
SofTrace Recessed	34
SP Recessed	34
SpecPlus Recessed	35
Surface Modular	35
TG8 Recessed	35
T-Grid LED Recessed	36
Recessed Accessories	36
LP3 Parabolic Recessed	36

Linear37

Cubelite Wall Bracket	38
Caravel Wrap	38
OW Wrap & OW LED Wrap	38
CU/SL Valueline Undercabinet	39
LINCS 100 LED Undercabinet	39
Little Inch T5 Undercabinet	39
FluxStream LED & EZ LED Strip	40
N Narrow Strip	40
SV Narrow Strip T5	40
SSR Staggered Strip	41
T Standard Strip	41
Belmont Surface Fluorescent	41
Strip & Industrial Accessories	41

Industrial43

HBO/HBE High Bay	44
Low Bay Reflector	44
LBD/LBN Low Bay	44
LLB Low Bay	44
LED Dock Light	45
Incandescent Dock Light	45
IA/IS All-Purpose Industrial	45
1FD General Purpose Industrial	45

1F Specification Industrial	45
FBX LED High Bay	45
FBD Fluorescent High Bay	46
FBF Fluorescent High Bay	46
Vaporlume LED	46
Vaporlume	46

Exit/Emergency 47

44R Line Edge-Lit	48
45V Line Edge-Lit	48
46 Line Die Cast - Thin Profile	48
55 Line Die Cast Contemporary	49
60 Line Wet Location	49
Compac Exit	49
Value+ Exit	49
Compac CCAX Combo Unit	50
Compac CCTX Combo Unit	50
VALUE+ II VCT Combo	50
VALUE+ VC Combo	50
VALUE+ VCL Combo	50
VALUE+ VCLA Combo	51
Compac CFX Unit	51
Compac CTX Unit	51
Compac CAX Unit	51
VALUE+ II VF Unit	51
VALUE+ II VA Unit	51
VALUE+ II VT Unit	51
VALUE+ VU6L Unit	52
VALUE+ VU6F Unit	52
VALUE+ VU6 Unit	52
VALUE+ VU Unit	52
VALUE+ VU6W Unit	52
Emergency Remote Fixtures & Accessories	53
Patron LED Wall Light	53
Patron Wall Light	53
MSL Mini Step Lite	53
DEB - Emergency Ballast	54
MTD - Transfer Device	54
New York City Approved	54

Roadway57

StreetView	58
RoadView	58
RX1 & RX2	58

Garage & Canopy 59

G3 Parking Garage & Canopy LED	60
Designer Canopy LED	60
Signature Canopy Light HID	60
Twilighter Canopy HID	60
Lyte Cube Canopy HID	60
Lyte Prism Canopy Induction	60

Floodlights61

LytePro LED Floodlight	62
EQ Quartz Flood	62
EQX Quartz Flood	62
GP Flood HID	63
Mini-Flood - SLA	63
Maxi-Flood - SLA	63

FloodPak Large (FPL)	64
FloodPak Medium (FPM)	64
FloodPak Small (FPS)	64
FloodPak Accessories	64
Lamp Holders	64

Wall Mount 65

Large Glass Refractor LED Wall Pack (WP)	66
Large Glass Refractor Wall Pack (WP)	66
Medium Glass Refractor LED Wall Pack (WPM)	66
Medium Glass Refractor Wall Pack (WPM)	66
Small Glass Refractor Wall Pack (WLT)	67
Small Polycarbonate Refractor Wall Pack (WNPS)	67
Small Tall Glass Refractor Wall Pack (WPG)	67
Small Tall Polycarbonate Refractor LED Wall Pack (TLW)	67
Small Tall Polycarbonate Refractor Wall Pack (TLW)	67
Medium Full Cutoff Wall Pack (NPM)	67
LytePro Medium LED Wall Sconce (LP32)	68
LytePro Medium LED Wall Sconce (LP16)	68
LytePro Small LED Wall Sconce (LP7)	68
Architectural Medium LED Wall Sconce (121)	68
Architectural Medium LED Wall Sconce (101L)	68
Architectural Medium Wall Sconce (101)	68
Architectural Medium LED Wall Sconce (104L)	69
Architectural Medium Wall Sconce (104)	69
Architectural Small LED Wall Sconce (111L)	69
Architectural Small Wall Sconce (111)	69
LED Wall Light (LWL)	69

Site & Area71

EcoForm LED (ECF)	72
Dusk to Dawn LED (DTD)	72
Dusk to Dawn (DTD)	72
MCL	73
Avalume (AVA)	73
Ecolume (ECA)	73
Anchor Bolts	73

Special Purpose 88

Roughlyte Luminaires	89
Roughlyte Adapters, Accessories, & Replacement Globes	90

Philips

Luminaire Smart Service Guide



About this guide

This guide was created to provide a service program to ensure that we fully support your shelf-stocking requirements and provide you with reliable lead times to address the demanding timelines of construction and retrofit lighting projects. Indoor lighting products available through this guide are Philips Day-Brite, Philips Chloride, and Philips Lightolier. Outdoor lighting products available are Philips Gardco, Philips Stonco, and Philips Lumec. This program allows you to select the product and corresponding lead time to meet the needs of your specific customer's project.

In this Smart Service Guide, you will find all Service Smart and Spec Smart items, stock locations, as well as an indication of our recommended distributor shelf stock items. This guide combines our previous Customer Service Offering and the indoor and outdoor luminaire sections of our Distributor Luminaire Stock Guide.

To support this service program, we have developed the following categories:

- **Service Smart products** are in stock and will be shipped in 48hrs from our warehouses*.
- **Distributor Stock products** are a subset of the Service Smart items that should be maintained on distributor shelves at all times to manage everyday contractor demand.
- **Spec Smart products** will be assembled to order and ship within 2 weeks from our factories*.

* Service promise is calculated from the time the order is entered until it is shipped.

Philips

Luminaire Smart Service Guide

Our commitment to you

Our delivery promise is backed by a significant investment in finished goods and component inventory. If any unforeseen issues arise or if order volume exceeds maximum order quantity, we will do our best to meet your needs and confirm an acceptable ship date.

Standard lead time products will ship within 6 weeks, while lead times for special, made to order and custom configured products for all Philips luminaire brands* can be confirmed by contacting the order desk.

Lead time is from the time the order is entered and received by our warehouse. Our goal is to enter orders within one business day of receipt.

To enable fast order entry, orders must be received with complete and correct catalog numbers and reference to the source of pricing (i.e. quote number or pricing program). It is recommended that you reference "Smart Guide" on your orders for product in this guide to speed the order entry process.

In order to avoid delays, it is recommended that stock orders be "stand alone" so that they may be shipped within the promised time-frame.

To ensure we satisfy all our customers optimally and meet the committed lead times, maximum order quantities may apply. If the order exceeds the set threshold, Philips will contact you to work out a feasible schedule for your large order. It is always advised to work with your Philips representative to give advance notice of your large order.



In case you have questions, please contact your sales representative or Customer Service.

Philips Contact Center: 1-855-486-2216

Terms and Conditions

Freight Terms: Individual order minimum of \$1,000;
\$100 shipping and handling fee for orders less than \$1,000.
1% 10th Prox 2nd, Net 25th Prox 2nd for Stock Orders
1% 10th Prox, Net 25th Prox for Drop Ship/Project Business

Stock availability

Philips Lighting maintains stock levels of our luminaires at multiple warehouses. Our warehouses are located in multiple regions across the US in order to provide our customers with quick access to the inventory you require. Look for the code in the "Stocked In" column of this Smart Service Guide.

Warehouse legend

C = Carrollton, Texas

F = Fontana, California

N = Norwich, Connecticut

* This pertains also to brands and product categories not represented in this particular guide.



Indoor



In addition to the Service Smart & Spec Smart indoor luminaires that are covered on the following pages, we do offer standard lead-time and custom made-to-order products. Lead-time for many standard products is six weeks, but all lead-times can be confirmed by contacting the order desk.

Some of our products, such as Healthcare, Decorative, and Special Applications, do not offer Service Smart and Spec Smart items, and thus, are not included on the following pages. While some of these high-runner items may be available to ship in six weeks, it is always advised that you check with the order desk to confirm these lead-times. For additional details on these products, and other luminaires not included in this guide, you may refer to our e-catalog at www.philips.com/luminaires.



Track

Accent/Track Lighting



CorePro LED Mini Cylinder

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057935355	LT08RWF830BK	CorePro LED Mini Cylinder track head 800lm 40°	✓		C,N,F
662057935348	LT08RNF830WH	CorePro LED Mini Cylinder track head 800lm 25°	✓		C,N,F
662057935331	LT08RNF830BK	CorePro LED Mini Cylinder track head 800lm 25°	✓		C,N,F
662057935324	LT08RWF830WH	CorePro LED Mini Cylinder track head 800lm 40°	✓		C,N,F



Alcyon LED

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057437828	LLA0130WH	Alcyon LED Small Cylinder 3000K White		✓	
662057437927	LLA1130BK	Alcyon LED Medium Cylinder 3000K Black	✓		C,N,F
662057287126	LLA11RNF	Alcyon LED Medium Cylinder Narrow Flood Reflector		✓	



Alcyon LED Vertical

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057542034	LLAV1130WH	Alcyon LED Vertical Cylinder 3000K 1000lm White	✓		C,N,F
662057542041	LLAV1130BK	Alcyon LED Vertical Cylinder 3000K 1000lm Black		✓	
662057542058	LLAV1130AL	Alcyon LED Vertical Cylinder 3000K 1000lm AL		✓	
662057896298	LLAV1230WH	Alcyon LED Vertical Cylinder 3000K 2000lm White	✓		C,N,F
662057896304	LLAV1230BK	Alcyon LED Vertical Cylinder 3000K 2000lm Black		✓	
662057896809	LLAV11RF	Alcyon LED Vertical 600/1000 Cylinder Reflector Narrow Spot	✓		C,N,F
662057896816	LLAV11RNF	Alcyon LED Vertical 600/1000 Cylinder Reflector Spot	✓		C,N,F
662057896793	LLAV11RNS	Alcyon LED Vertical 600/1000 Cylinder Reflector Narrow Flood	✓		C,N,F
662057897110	LLAV11RS	Alcyon LED Vertical 600/1000 Cylinder Reflector Flood	✓		C,N,F
662057896755	LLAV12RS	Alcyon LED Vertical 2000 Cylinder Reflector Narrow Spot	✓		C,N,F
662057896786	LLAV12RNS	Alcyon LED Vertical 2000 Cylinder Reflector Spot	✓		C,N,F
662057896762	LLAV12RNF	Alcyon LED Vertical 2000 Cylinder Reflector Narrow Flood	✓		C,N,F
662057896779	LLAV12RF	Alcyon LED Vertical 2000 Cylinder Reflector Flood	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Alcyon LED Recessed

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
N/A	LLAVRM11H1120	Alcyon LED Recessed 120V 1Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H1277	Alcyon LED Recessed 277V 1Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H2120	Alcyon LED Recessed 120V 2Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H2277	Alcyon LED Recessed 277V 2Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H3120	Alcyon LED Recessed 120V 3Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H3277	Alcyon LED Recessed 277V 3Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H4120	Alcyon LED Recessed 120V 4Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM11H4277	Alcyon LED Recessed 277V 4Head 600/1000Lm	✓		C,N,F
N/A	LLAVRM12H1120	Alcyon LED Recessed 120V 1Head 2000Lm	✓		C,N,F
N/A	LLAVRM12H1277	Alcyon LED Recessed 277V 1Head 2000Lm	✓		C,N,F
N/A	LLAVRM12H2120	Alcyon LED Recessed 120V 2Head 2000Lm	✓		C,N,F
N/A	LLAVRM12H2277	Alcyon LED Recessed 277V 2Head 2000Lm	✓		C,N,F
N/A	LLAVRM12H3120	Alcyon LED Recessed 120V 3Head 2000Lm	✓		C,N,F
N/A	LLAVRM12H3277	Alcyon LED Recessed 277V 3Head 2000Lm	✓		C,N,F
N/A	LLAVRM12H4120	Alcyon LED Recessed 120V 4Head 2000Lm		✓	C,N,F
N/A	LLAVRM12H4277	Alcyon LED Recessed 277V 4Head 2000Lm		✓	C,N,F
Trims-Light Engines					
N/A	LLAVRMWH0130H3	Alcyon LED Recessed White 3000K 3Head 600Lm w/Trim		✓	
N/A	LLAVRMWH1130H3	Alcyon LED Recessed White 3000K 3Head 1000Lm w/Trim		✓	
N/A	LLAVRMBK1130H1	Alcyon LED Recessed Black 3000K 1Head 1000Lm w/Trim		✓	
N/A	LLAVRMWH1130H2	Alcyon LED Recessed White 3000K 2Head 1000Lm w/Trim		✓	

Alcyon LED Vertical Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057898582	LLAV11FR	Alcyon LED Frosted Etched film 3" 600/1000lm	✓		C,N,F
662057898520	LLAV11LS	Alcyon LED Linear Spread film 3" 600/1000lm	✓		C,N,F
662057898568	LLAV11SF	Alcyon LED Soft Focus film 3" 600/1000lm	✓		C,N,F
662057898544	LLAV11SY	Alcyon LED SyStem Spread film 3" 600/1000lm	✓		C,N,F
662057898575	LLAV12SF	Alcyon LED Soft Focus film 4" 2000lm	✓		C,N,F
662057898551	LLAV12SY	Alcyon LED SyStem Spread film 4" 2000lm	✓		C,N,F
662057898247	LLAV11AHWH	Alcyon LED Vertical Accent 600/1000 Cylinder Acc. Holder White	✓		C,N,F
662057898254	LLAV11AHBK	Alcyon LED Vertical Accent 600/1000 Cylinder Acc. Holder Black	✓		C,N,F
662057898278	LLAV12AHWH	Alcyon LED Vertical Accent 2000Cylinder Acc. Holder White	✓		C,N,F
662057898285	LLAV12AHBK	Alcyon LED Vertical Accent 2000Cylinder Acc. Holder Black	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Spot LED Track

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057651033	LLABS30RNF BK	Spot LED Small Narrow Flood 3000K Black		✓	
662057576107	LLAB030RSWH	Spot LED Spot 3000K White		✓	
662057576121	LLAB030RSBK	Spot LED Spot 3000K Black		✓	
662057577548	LLAB030RNF WH •	Spot LED Narrow Flood 3000K White	✓		C,N,F
662057577500	LLAB030RFWH	Spot LED Flood 3000K White		✓	
662057577555	LLAB030RNF BK •	Spot LED Narrow Flood 3000K Black	✓		C,N,F
662057577517	LLAB030RFBK	Spot LED Flood 3000K Black		✓	
662057577562	LLAB030RNFAL	Spot LED Narrow Flood 3000K Aluminum		✓	
662057609607	LLAB130RSWH	Spot LED Large Spot 3000K White		✓	
662057609638	LLAB130RNF WH •	Spot LED Large Narrow Flood 3000K White	✓		C,N,F
662057609645	LLAB130RNF BK	Spot LED Large Narrow Flood 3000K Black	✓		C,N,F
662057610702	LLAB130RFWH •	Spot LED Large Flood 3000K White	✓		C,N,F
662057609614	LLAB130RSBK	Spot LED Large Spot 3000K Black		✓	
662057609645	LLAB130RNF BK •	Spot LED Large Narrow Flood 3000K Black	✓		C,N,F
662057610719	LLAB130RFBK	Spot LED Large Flood 3000K Black		✓	
999999141163	23SNT6BK	Spot LED Snoot for 1000/2000 Lm Black		✓	
662057657080	LLAB1AHWH	Spot LED Large Spot ACC Holder, White		✓	



Spot LED Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Trim sections					
662057772028	LLABR17WHW	Spot LED Recessed Spotled Trim Section, 17" Length		✓	
662057772042	LLABR24WHW	Spot LED Recessed Spotled Trim Section, 24" Length		✓	
Frame Kits and Light Engine					
662057878126	LLABR17WH030H2RNFVA	Spot LED Recessed, 2 head, 1000lm, White, 3000K, Narrow Flood, 120/277	✓		C,N,F
662057878287	LLABR24WH030H3RSVA	Spot LED Recessed, 3 head, 1000lm, White, 3000K, Spot, 120/277		✓	
662057878362	LLABR24WH030H3RNFVA	Spot LED Recessed, 3 head, 1000lm, White, 3000K, Narrow Flood, 120/277	✓		C,N,F
662057877679	LLABR9WH130H1RSVA	Spot LED Recessed, 1 head, 2000lm, White, 3000K, Spot, 120/277		✓	
662057878140	LLABR17WH130H2RNFVA	Spot LED Recessed, 2 head, 2000lm, White, 3000K, Narrow Flood, 120/277	✓		C,N,F
662057878546	LLABR24BK130H3RFVA	Spot LED Recessed, 3 head, 2000lm, Black, 3000K, Flood, 120/277		✓	



Mini LED Micro

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057497938	LLAV0030WH	Mini LED Micro Cylinder 3000K White		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Mini HID

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057596518	8109WH	Mini HID Cylinder 20W T4 GU6.5 TAL Matte White		✓	
662057596495	8109AL	Mini HID Cylinder 20W T4 GU6.5 TAL Aluminum		✓	
662057596457	24MHT4RNF	Reflector GU6.5 and PGJ5 Narrow Flood Clear		✓	



Alcyon

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197483722	22OR6WH •	Alcyon MR16 Open Ring White	✓		C,N,F
784197483739	22or6BK	Alcyon MR16 Open Ring Black		✓	
784197483753	22GR6WH	Alcyon MR16 Glass Ring White		✓	
784197483692	22GC6WH	Alcyon MR16 Glass Cylinder White		✓	
784197483630	22SS6WH •	Alcyon MR16 Enclosed Step Spot White	✓		C,N,F
784197483647	22SS6BK	Alcyon MR16 Enclosed Step Spot Black		✓	
784197483784	22MW6WH	Alcyon MR16 Mini Round Wall Washer White		✓	
784197483661	22MC6WH •	Alcyon MR16 Mini Cylinder White	✓		C,N,F
784197483678	22MC6BK	Alcyon MR16 Mini Cylinder Black		✓	
784197483685	22MC6AL	Alcyon MR16 Mini Cylinder Aluminum		✓	
784197483845	22SS2WH	Alcyon PAR20 Enclosed Step Spot White		✓	
784197483876	22SS3WH	Alcyon PAR30 Enclosed Step Spot White		✓	
784197483883	22SS3BK	Alcyon PAR30 Enclosed Step Spot Black		✓	



SoftTech

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197526306	6276BWH •	SoftTech Spot MR 16 Bi-Pin Matte White	✓		C,N,F
784197526313	6276BBK	SoftTech Spot MR 16 Bi-Pin Matte Black		✓	
784197842000	8420WH	Soft-Edge SpotS PAR20 Matte White		✓	
784197842024	8420BK •	Soft-Edge SpotS PAR20 Matte Black	✓		C,N,F



Mini Universal

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197902100	9021WH •	Mini Universal 250W Max Matte White	✓		C,N,F
784197902117	9021BK •	Mini Universal 250W Max Matte Black	✓		C,N,F

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Rings

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197627805	6278WH	PAR Ring 120V Halogen Spot PAR20 Matte White		✓	
784197762827	6282	PAR Ring 120V Halogen Spot PAR30 Matte White		✓	
784197762841	6284	PAR Ring PAR38 250W Max. White		✓	
784197140496	9023WH •	Budget PAR30 Ring Matte White	✓		C,N,F
784197140410	9023BK •	Budget PAR30 Ring Matte Black	✓		C,N,F
784197407346	9023AL	Budget PAR30 Ring Satin Aluminum Finish		✓	
784197902230	9022BK •	Budget PAR38 Ring Matte Black	✓		C,N,F
784197902209	9022WH •	Budget PAR38 Ring Matte White	✓		C,N,F
662057884714	9023LRNFWH	Budget PAR30 Ring Matte White w/Philips LED lamp Narrow Flood	✓		C,N,F
662057884721	9023LRFWH	Budget PAR30 Ring Matte White w/Philips LED lamp Flood	✓		C,N,F
662057884783	9022LRNFWH	Budget PAR38 Ring Matte White w/Philips LED lamp Narrow Flood	✓		C,N,F
662057884806	9022LRFWH	Budget PAR38 Ring Matte White w/Philips LED lamp Flood	✓		C,N,F
662057905921	9030NAL	Lytespan Gimbal Ring PAR30 Aliminum		✓	
662057905907	9030NBK	Lytespan Gimbal Ring PAR30 Black	✓		
662057905914	9030NWH	Lytespan Gimbal Ring PAR30 White	✓		
662057905952	9038NAL	Lytespan Gimbal Ring PAR38 Aliminum		✓	
662057905938	9038NBK	Lytespan Gimbal Ring PAR38 Black	✓		C,N,F
662057905945	9038NWH	Lytespan Gimbal Ring PAR38 White	✓		C,N,F
662057905976	9030NLRNFWH	Lytespan Gimbal Ring PAR30 w/Philips LED Retail Lamp RNF White	✓		C,N,F
662057905969	9030NLRNFBK	Lytespan Gimbal Ring PAR30 w/Philips LED Retail Lamp RNF Black	✓		C,N,F
662057905990	9030NLRFWH	Lytespan Gimbal Ring PAR30 w/Philips LED Retail Lamp RF White	✓		C,N,F
662057905983	9038NLRNFBK	Lytespan Gimbal Ring PAR38 w/Philips LED Retail Lamp RNF Black	✓		C,N,F
662057906010	9038NLRNFWH	Lytespan Gimbal Ring PAR38 w/Philips LED Retail Lamp RNF White	✓		C,N,F
662057906034	9038NLRFWH	Lytespan Gimbal Ring PAR38 w/Philips LED Retail Lamp RF White	✓		C,N,F



Roundback Cylinder

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197912017	9120BK	R-20 Roundback Cylinder Matte Black		✓	
784197912031	9120WH	R-20 Roundback Cylinder Matte White		✓	
784197953034	9530WH	R-30 Roundback Cylinder Matte White		✓	
784197953003	9530BK	R-30 Roundback Cylinder Matte Black		✓	
784197910068	9538BK	PAR38 Roundback Classic Matte Black		✓	
784197910044	9538WH	PAR38 Roundback Classic Matte White		✓	



Step Cylinder

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197922030	9220WH	R-20 Step Cylinder Matte Black		✓	
784197922023	9220BK	R-20 Step Cylinder Matte White		✓	
784197963033	9630WH	R-30 Step Cylinder Matte White		✓	
784197963002	9630BK	R-30 Step Cylinder Matte Black		✓	
784197910082	9638WH	PAR38 Step Classic Matte White		✓	
784197910105	9638BK	PAR38 Step Classic Matte Black		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



ParTech

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197820107	8201WH •	Low Profile Universal LyteSpot/White	✓		C,N,F
784197820114	8201BK •	Low Profile Universal LyteSpot/Black	✓		C,N,F
784197820206	8202WH	Hinged Universal LyteSpot/White		✓	
784197820213	8202BK	Hinged Universal LyteSpot/Black		✓	
784197823504	8235WH	PAR30 Cone Shade only/White		✓	
784197823511	8235BK	PAR30 Cone Shade only/Black		✓	
784197823627	8236BK	PAR30 Cylinder Shade only/Black		✓	
784197823825	8238BK	PAR-Tech PAR30 Ring Shade Matte Black		✓	



Lasso

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197825706	8257WH	PAR20 WIRE Ring LyteSpot/White		✓	



Miniforms

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197917142	9173BBK	Low Volt MR16 BI PIN Cylinder Matte Black		✓	
784197917128	9173BWH	Low Volt MR16 BI PIN Cylinder Matte White		✓	



PowerWash

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197302498	9276WH	2 X 24W T5 HO Flood 2' Matte White		✓	



Tangent

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197555696	FX16C	Tangent Mini Cylinder 12V MR16		✓	
784197556013	FX25	Tangent Surface Mount Anchors (5 Pack)		✓	
78419755581	FX04	Tangent Track 4' Clear Anodize		✓	
78419755585	FX08	Tangent Track 8' Clear Anodize		✓	

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Track Head Accessories

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197116170	AF2AS	Spread Lens Asymmetrical 5X55 DEG Beam Spread		✓	
784197477998	AF2FR	Frosted Softening Lens, 2" Diameter		✓	
784197282424	AF2SF	Solite Diffusion Lens, 2" Diameter	✓		C,N,F
784197116163	AF2SY	Spread Lens Symmetrical 55 DEG Beam		✓	
784197115975	AF4AS	Spread Lens for ADJ 6" & 7" HSNG 5X55 DEG		✓	
784197162696	AL25HC	2.5" Hex Cell Louver		✓	
784197116118	AL2HC	2" Hex Cell Louver		✓	
784197162931	AL3HC	3 3/4" Hex Cell Louver		✓	



Basic Track & Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197594183	6000NBK •	2' IND Basic Track Black	✓		C,N,F
784197594190	6000NWH •	2' IND Basic Track White	✓		C,N,F
784197594206	6001NBK •	4' IND Basic Track Black	✓		C,N,F
784197594213	6001NWH •	4' IND Basic Track White	✓		C,N,F
784197539801	6002NAL	8' IND Basic Metallic Aluminum		✓	
784197594220	6002NBK •	8' IND Basic Track Black	✓		C,N,F
784197594237	6002NWH •	8' IND Basic Track White	✓		C,N,F
784197594244	6003NBK	8' Join Basic Track MT Black		✓	
784197594251	6003NWH •	8' Join Basic Track White	✓		C,N,F
784197539771	6004NAL	4' IND Basic Track w/o Live End Aluminum		✓	
784197594268	6004NBK •	4' IND Basic Track w/o Live End Black	✓		C,N,F
784197594275	6004NWH •	4' IND Basic Track w/o Live End White	✓		C,N,F
662057572185	6006NBK •	6' Basic Plain Track w/o Live End Black	✓		C,N,F
662057572208	6006NWH	6' Basic Plain Track w/o Live End White		✓	
784197539733	6008NAL	8' IND Basic Track w/o Live End Aluminum		✓	
784197594282	6008NBK •	8' IND Basic Track w/o Live End Black	✓		C,N,F
784197594299	6008NWH •	8' IND Basic Track w/o Live End White	✓		C,N,F
784197594541	6046NBK •	Basic PWR Extension Connector Black	✓		C,N,F
784197594558	6046NWH	Basic PWR Extension Connector White		✓	
784197539757	6048NAL	Basic Live End Aluminum		✓	
784197594589	6048NBK •	Basic Live End Black	✓		C,N,F
784197594596	6048NWH •	Basic Live End White	✓		C,N,F
784197539474	6049NAL	Basic Mini Coupler Aluminum		✓	
784197594565	6049NBK •	Basic Mini Coupler Black	✓		C,N,F
784197594572	6049NWH •	Basic Mini Coupler White	✓		C,N,F
784197594466	6050NBK	Basic "L" Connector Black		✓	
784197594473	6050NWH •	Basic "L" Connector White	✓		C,N,F
784197594480	6051NBK •	Basic "T" Connector Black	✓		C,N,F
784197594497	6051NWH •	Basic "T" Connector White	✓		C,N,F
784197594503	6052NBK •	Basic "X" Connector Black	✓		C,N,F
784197594527	6053NBK	Basic Variable Angle Connector Black		✓	
784197594329	6054NBK	Basic In-Line Connector Black		✓	
784197594350	6054NWH •	Basic In-Line Connector White	✓		C,N,F
784197606015	6060BK •	End Feed Canopy Black	✓		C,N,F
784197606008	6060WH •	End Feed Canopy White	✓		C,N,F
784197606114	6061BK •	Floating Canopy Black	✓		C,N,F
784197606107	6061WH	Floating Canopy White		✓	
784197606312	6063BK	Floating Power Feed Black		✓	
784197606305	6063WH	Floating Power Feed White		✓	
784197607401	6074WH	LyteSpot Extension Wand 18" White		✓	

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Radius Track & Accessories

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197910129	9102WH	Radius 2' Plain Track Matte White		✓	
784197910181	9104BK	Radius 4' Plain Track Matte Black		✓	
784197910167	9104WH	Radius 4' Plain Track Matte White		✓	
784197910228	9106BK	Radius 6' Plain Track Matte Black	✓		C,N,F
784197910204	9106WH	Radius 6' Plain Track Matte White		✓	
784197910266	9108BK	Radius 8' Plain Track Matte Black		✓	
784197910242	9108WH	Radius 8' Plain Track Matte White	✓		C,N,F
784197000523	9147BK	Radius Surface Feed ConnectorTR Matte Black	✓		C,N,F
784197910303	9148BK	Radius Live End Feed Matte Black		✓	
784197910280	9148WH	Radius Live End Feed Matte White	✓		C,N,F
784197910341	9149BK	Radius Mini Coupler Matte Black		✓	
784197910327	9149WH	Radius Mini Coupler Matte White	✓		C,N,F
784197910389	9150BK	Radius Flush Non-Feed Connector COMB L or NL	✓		C,N,F
784197910365	9150WH	Radius Flush Non-Feed Connector COMB L or NL	✓		C,N,F
784197170400	9151BK	Radius Feed "T" Connector Matte Black	✓		C,N,F
784197170394	9151WH	Radius Feed "T" Connector Matte White		✓	
784197136864	9155BK	Radius Feed Connector COMB L or In-Line Matte Black	✓		C,N,F
784197136857	9155WH	Radius Feed Connector COMB L or In-Line Matte White		✓	
784197910501	9160BK	Radius Live End Canopy Matte Black	✓		C,N,F
784197910488	9160WH	Radius Live End Canopy Matte White		✓	
784197910563	9163WH	Radius Saddle Canopy Matte White		✓	
784197364069	9188WH	Radius T-Bar Clip, Regressed (Set of 9)		✓	
784197369446	9189WH	Radius T-Bar Clip, Flat, (Set of 9)		✓	



Advent Track & Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197572860	6101NBK	4' IND Advent Track Black		✓	
784197572877	6101NWH	4' IND Advent Track White		✓	
784197572891	6102NBK	8' IND Advent Track Black		✓	
784197572907	6102NWH	8' IND Advent Track White	✓		C,N,F
784197572921	6103NB	8' Join Advent Track Black		✓	
784197572938	6103NWH	8' Join Advent Track White	✓		C,N,F
784197572952	6104NBK	4' 2-Circuit Track w/o Live End Black	✓		C,N,F
784197572969	6104NWH	4' 2-Circuit Track w/o Live End White		✓	
784197572983	6108NBK	8' 2 Circuit Track w/o Live End Black		✓	
784197572990	6108NWH	8' 2 Circuit Track w/o Live End White	✓		C,N,F
784197573195	6146NBK	Conduit Continuation Kit/2 CIRC/Black	✓		C,N,F
784197573201	6146NWH	Conduit Continuation Kit/2 CIRC/White	✓		C,N,F
784197573621	6148NBK	Advent Live End Black		✓	
784197573256	6148NWH	Advent Live End White	✓		C,N,F
784197573225	6149NBK	Advent Mini Coupler Black		✓	
784197573232	6149NWH	Advent Mini Coupler White		✓	
784197573089	6150NBK	Advent "L" Connector Black	✓		C,N,F
784197573096	6150NWH	Advent "L" Connector White		✓	
784197573119	6151NBK	Advent "T" Connector Black	✓		C,N,F
784197573126	6151NWH	Advent "T" Connector White	✓		C,N,F
784197573638	6152NBK	Advent "X" Connector Black	✓		C,N,F
784197573140	6152NWH	Advent "X" Connector White	✓		C,N,F
784197573164	6153NBK	Advent Variable Angle Connector Black		✓	
784197573171	6153NWH	Advent Variable Angle Connector White		✓	
784197573058	6154NBK	Advent In-Line Connector Black		✓	
784197573065	6154NWH	Advent In-Line Connector White	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



PowerTrip

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197469931	6099BK	PowerTrip, Basic, Live End Canopy, Black		✓	
784197469924	6099WH	PowerTrip, Basic, Live End Canopy, White		✓	
784197531362	PLD120BK	PowerTrip New Design, Plug-In Breaker		✓	
784197531379	PLD120WH	PowerTrip New Design, Plug-In Breaker		✓	
784197531522	PLD360BK	PowerTrip New Design, Plug-In Breaker		✓	
784197531577	PLD600BK	PowerTrip New Design, Plug-In Breaker		✓	
784197531584	PLD600WH	PowerTrip New Design, Plug-In Breaker		✓	



Track Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197608507	6085	White Lytespan Convenience OUTLET	✓		C,N,F
784197515553	6170BK •	Rectangular Monopoint, Matte Black		✓	
784197515546	6170WH	Rectangular Monopoint, Matte White		✓	
784197619015	6190BK	Monopoint Black	✓		C,N,F
784197619022	6190WH •	Monopoint White	✓		C,N,F
784197272227	7516 •	8' Recessed Housing for Basic and Advent Track		✓	
784197272258	7517	Splice Box/End Housing		✓	
784197274269	7584	Track/18 Stem Kit/White		✓	
784197277116	7681	48" Stem Black		✓	
784197274320	7586	Stem Mounting Kit/48"L	✓		C,N,F
784197758905	7589BK	Track Attachment Fitting Black	✓		C,N,F
784197274627	7596	Track/Surface RACEWAY Adapter		✓	
784197002305	7599	Track/1 D Pendant Adapter/White		✓	
784197012113	7662	Accessory Holder for MR16		✓	
784197858308	8583	PAR30 Accessory Holder for Cone/Cylinder		✓	
784197635749	56657	CLP Grid Ceiling Black		✓	
784197020064	6087	REG Panel MTG Clips for Track LTG (9Clip/Box)		✓	
784197608903	6089	9/16 & 15/16 Grid CLNG Clip Kit (9Clip/Box)	✓		C,N,F

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Downlighting

Lytecaster Downlighting



SlimSurface LED

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057988788	S4S827K7	SlimSurface 4" Square 600 LM 27K 80CRI 120V WHT TRIAC WET	✓		N
662057988795	S4S827K7AL	SlimSurface 4" Square 600 LM 27K 80CRI 120V AL TRIAC WET		✓	
662057988801	S4S830K7	SlimSurface 4" Square 600 LM 30K 80CRI 120V WHT TRIAC WET	✓		N
662057992419	S4S830K7-D •	SlimSurface 4" Square 600 LM 30K 80CRI 120V WHT TRIAC DAMP	✓		N
662057988818	S4S830K7AL	SlimSurface 4" Square 600 LM 30K 80CRI 120V AL TRIAC WET		✓	
662057988825	S4S927K7	SlimSurface 4" Square 600 LM 27K 90CRI 120V WHT TRIAC WET	✓		N
662057988832	S4S927K7AL	SlimSurface 4" Square 600 LM 27K 90CRI 120V AL TRIAC WET		✓	
662057988672	S5R827K7	SlimSurface 5" Round 600 LM 27K 80CRI 120V WHT TRIAC WET	✓		N
662057988689	S5R827K7AL	SlimSurface 5" Round 600 LM 27K 80CRI 120V AL TRIAC WET		✓	
662057936055	S5R830K7	SlimSurface 5" Round 600 LM 30K 80CRI 120V WHT TRIAC WET	✓		N
662057992433	S5R830K7-D •	SlimSurface 5" Round 600 LM 30K 80CRI 120V WHT TRIAC DAMP	✓		N
662057988696	S5R830K7AL	SlimSurface 5" Round 600 LM 30K 80CRI 120V AL TRIAC WET		✓	
662057990927	S5R830K7-ELV •	SlimSurface 5" Round 600 LM 30K 80CRI 120V WHT ELV DAMP	✓		N
662057988702	S5R927K7	SlimSurface 5" Round 600 LM 27K 90CRI 120V WHT TRIAC WET	✓		N
662057988719	S5R927K7AL	SlimSurface 5" Round 600 LM 27K 90CRI 120V AL TRIAC WET		✓	
662057988849	S6S827K10	SlimSurface 6" Square 900 LM 27K 80CRI 120V WHT TRIAC WET	✓		N
662057988856	S6S827K10AL	SlimSurface 6" Square 900 LM 27K 80CRI 120V AL TRIAC WET		✓	
662057988863	S6S830K10	SlimSurface 6" Square 900 LM 30K 80CRI 120V WHT TRIAC WET	✓		N
662057992426	S6S830K10-D •	SlimSurface 6" Square 900 LM 30K 80CRI 120V WHT TRIAC DAMP	✓		N
662057988870	S6S830K10AL	SlimSurface 6" Square 900 LM 30K 80CRI 120V AL TRIAC WET		✓	
662057988887	S6S927K10	SlimSurface 6" Square 900 LM 27K 90CRI 120V WHT TRIAC WET	✓		N
662057988894	S6S927K10AL	SlimSurface 6" Square 900 LM 27K 90CRI 120V AL TRIAC WET		✓	
662057988726	S7R827K10	SlimSurface 7" Round 900 LM 27K 80CRI 120V WHT TRIAC WET	✓		N
662057988733	S7R827K10AL	SlimSurface 7" Round 900 LM 27K 80CRI 120V AL TRIAC WET		✓	
662057988740	S7R830K10	SlimSurface 7" Round 900 LM 30K 80CRI 120V WHT TRIAC WET	✓		N
662057992440	S7R830K10-D •	SlimSurface 7" Round 900 LM 30K 80CRI 120V WHT TRIAC DAMP	✓		N
662057988757	S7R830K10AL	SlimSurface 7" Round 900 LM 30K 80CRI 120V AL TRIAC WET		✓	
662057988764	S7R927K10	SlimSurface 7" Round 900 LM 27K 90CRI 120V WHT TRIAC WET	✓		N
662057988771	S7R927K10AL	SlimSurface 7" Round 900 LM 27K 90CRI 120V AL TRIAC WET		✓	



Corepro LED Downlight

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057878959	CP430K6 •	Corepro LED 4" Downlight Retrofit Kit 600 LM 30K 120V	✓		C,N,F
662057878959	CP630K10 •	Corepro LED 6" Downlight Retrofit Kit 1000 LM 30K 120V	✓		C,N,F
662057878928	CP630K6 •	Corepro LED 6" Downlight Retrofit Kit 600 LM 30K 120V	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Lytensing LED 5"

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057784618	1004ICLED •	Lytensing LED 5" New Construction IC & Non-IC Housing Screw	✓		C,N,F
662057784625	1004ICNLED •	Lytensing LED 5" New Construction IC & Non-IC Housing Nail	✓		C,N,F
Trims					
662057788517	1076WHL27K •	Lytensing LED 5" Baffle White LED 2700K 650LM	✓		C,N,F
662057788524	1076WHL30K •	Lytensing LED 5" Baffle White LED 3000K 650LM	✓		C,N,F
662057788531	1076WHL35K	Lytensing LED 5" Baffle White LED 3500K 650LM		✓	
662057794396	LARFA •	Lytecaster Incandescent TO LED Retrofit Adaptor	✓		C,N,F



Xceed LED 5" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057482811	1050LRN06D1	Xceed LED 5" Round IC 600LM Frame DIM 120V		✓	
662057482828	1050LRN06D1N	Xceed LED 5" Round IC 600LM Frame DIM 120V Nail		✓	
662057482613	1050LRN09D1 •	Xceed LED 5" Round IC 900LM Frame DIM 120V	✓		C,N,F
662057482804	1050LRN09D1N •	Xceed LED 5" Round IC 900LM Frame DIM 120V Nail	✓		C,N,F
Trims					
662057483153	1050LRN0627	Xceed LED 5" Round Light Engine 600LM 2700K		✓	
662057483146	1050LRN0635	Xceed LED 5" Round Light Engine 600LM 3500K		✓	
662057482880	1050LRN0927 •	Xceed LED 5" Round Light Engine 900LM 2700K	✓		C,N,F
662057483139	1050LRN0935 •	Xceed LED 5" Round Light Engine 600LM 3500K	✓		C,N,F
662057483535	1050LRNDLCDP	Xceed LED 5" Round Downlight Clear Diffuse		✓	
662057483504	1050LRNDLCDW •	Xceed LED 5" Round Downlight Clear Diffuse	✓		C,N,F
662057483511	1050LRNDLWB •	Xceed LED 5" Round Downlight White Baffle	✓		C,N,F



Xceed LED 5" Square

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057482835	1050LSQ09D1	Xceed LED 5" Square IC 900LM Frame DIM 120V		✓	
Trims					
662057483160	1050LSQ0927	Xceed LED 5" Square Light Engine 900LM 2700K		✓	
662057483177	1050LSQ0935	Xceed LED 5" Square Light Engine 600LM 3500K		✓	
662057483627	1050LSQDLCDP	Xceed LED 5" Square Downlight Clear Diffuse		✓	
662057483610	1050LSQDLCDW	Xceed LED 5" Square Downlight Clear Diffuse		✓	



Uniframe LED 5" frames

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057383668	1001LED09N271 •	Uniframe LED 5" New Construction Non-IC Frame 900LM 2700K 120V	✓		C,N,F
662057383699	1001LED09N27D1	Uniframe LED 5" New Construction Non-IC Frame Dimming 900LM 2700K 120V		✓	
662057383743	1001LED09N351	Uniframe LED 5" New Construction Non-IC Frame 900LM 3500K 120V		✓	
662057383750	1001LED09N352 •	Uniframe LED 5" New Construction Non-IC Frame 900LM 3500K 277V		✓	
662057543772	1001LED15N27D1	Uniframe LED 5" New Construction Non-IC Frame Dimming 1500LM 2700K 120V		✓	
662057543970	1001LED15N35D1	Uniframe LED 5" New Construction Non-IC Frame Dimming 1500LM 3500K 120V		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Uniframe LED 6 3/4" frames

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057383446	1101LED09N271	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 2700K 120V		✓	
662057462905	1101LED09N271EM	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 2700K 120V EM		✓	
662057383460	1101LED09N272	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 2700K 277V		✓	
662057383484	1101LED09N27D1	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 2700K 120V Dimming		✓	
662057441108	1101LED09N351 •	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 3500K 120V	✓		C,N,F
662057462950	1101LED09N351EM	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 3500K 120V EM		✓	
662057383538	1101LED09N352 •	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 3500K 277V		✓	
662057462967	1101LED09N352EM	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 3500K 277V EM		✓	
662057383545	1101LED09N35D1	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 3500K 120V Dimming		✓	
662057383644	1101LED09N35D2	Uniframe LED 6 3/4" New Construction Non-IC frame 900lm 3500K 277V Dimming		✓	
662057544083	1101LED15N27D1	Uniframe LED 6 3/4" New Construction Non-IC frame 1500lm 2700K 120V Dimming		✓	
662057544120	1101LED15N35D1	Uniframe LED 6 3/4" New Construction Non-IC frame 1500lm 3500K 120V Dimming		✓	
662057544144	1101LED15N35D2	Uniframe LED 6 3/4" New Construction Non-IC frame 1500lm 3500K 277V Dimming		✓	



Uniframe LED Retrofit Kit

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057264370	L56LED09S27D1	Uniframe LED Retrofit Kit 900Lm 2700K 120V Dimming		✓	



Xceed Round CFL 5"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057038476	1050RN18ESN	Xceed CFL 5" Round Frame IC Airseal 18W 27K 120V Energy Star 120V Nail		✓	
662057038551	1050RN26CMU	Xceed CFL 5" Round Frame Non-IC 26W 27K 120-277V Screw		✓	
662057038568	1050RN26ES	Xceed CFL 5" Round Frame IC Airseal 26W 27K 120V Energy Star 120V Screw		✓	
Trims					
662057038889	1050RNDLCDW	Xceed CFL 5" Round Downlight Clear Diffuse Trim		✓	
662057038902	1050RNDLWB	Xceed CFL 5" Round Downlight White Baffle Trim		✓	



Low Profile CFL 6 3/4"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197285456	1102T13U	Low Profile CFL 6 3/4" Non-IC Frame 2X13W 120-277V		✓	
784197266189	1102T26U	Low Profile CFL 6 3/4" Non-IC Frame 2X26W 120-277V		✓	
Trims					
784197111311	1113TCL	Low Profile CFL 6 3/4" Cone Specular Clear Trim		✓	
784197112608	1126T	Low Profile CFL 6 3/4" Fresnel Lens White Splay Trim		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Uniframe CFL 3 3/4"

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197545659	2001F18U	Uniframe CFL 3 3/4" Non-IC 18W 120/277V		✓	
Trims					
784197546311	2001CL	Uniframe Performance CFL 3-3/4" Vertical Open Reflector Trim Specular Clear		✓	



Uniframe CFL 5"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197545642	1001F13U	Uniframe CFL 5" Non-IC 13W 120/277V		✓	
784197545635	1001F18U	Uniframe CFL 5" Non-IC 18W 120/277V		✓	
784197545598	1001F26U	Uniframe CFL 5" Non-IC 26W 120/277V		✓	
Trims					
784197546472	1001CD	Uniframe Performance CFL 5" Vertical Open Reflector Trim CD		✓	
784197546465	1001CL	Uniframe Performance CFL 5" Vertical Open Reflector Trim CL		✓	
784197546557	1001HCL	Uniframe Performance CFL 5" Horizontal Open Reflector Trim CL		✓	



Uniframe CFL 6 3/4"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197545673	1101F18U	Uniframe CFL 6 3/4" Non-IC 18W 120/277V		✓	
784197577018	1101F2642ICU	Uniframe CFL 6 3/4" ICX Airseal 26-32-42W, 120/277V Screw		✓	
784197545499	1101F2642U •	Uniframe CFL 6 3/4" Non-IC 26-32-42W 120/277V	✓		C,N,F
784197545406	1101F2642UEM	Uniframe CFL 6 3/4" 26-42W Emergency Pack		✓	
784197545451	1101FD2642M7U	Uniframe CFL 6 3/4" 26-42W MARK7 Universal		✓	
784197545475	1101FD2642MX1	Uniframe CFL 6 3/4" 26-42W 120V MARKX		✓	
784197545390	1101FR2642U	Uniframe CFL 6 3/4" Non-IC Remodeler 26-32-42W CFL 120/277V		✓	
Trims					
784197546069	1101CD •	Uniframe Performance CFL 6 3/4" Vertical Open Reflector Trim Clear Diffused	✓		C,N,F
784197546052	1101CL •	Uniframe Performance CFL 6 3/4" Vertical Open Reflector Trim Specular Clear	✓		C,N,F
784197973094	1101HCD •	Uniframe Performance CFL 6 3/4" Horizontal Open Reflector Trim Clear Diffused	✓		C,N,F
784197546144	1101HCL •	Uniframe Performance CFL 6 3/4" Horizontal Open Reflector Trim Specular Clear	✓		C,N,F
784197546205	1101HCLC	Uniframe Performance CFL 6 3/4" Horizontal Clear Lens Specular Clear		✓	
784197546175	1101HCLSW	Uniframe Performance CFL 6 3/4" Single Wall Wash Horizontal Specular Clear		✓	



Lytecaster Incandescent 3 3/4"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197200022	2000AIC •	Lytecaster Incandescent 3 3/4" IC Airseal	✓		C,N,F
784197200015	2000IC •	Lytecaster Incandescent 3 3/4" IC	✓		C,N,F
784197200060	2000P1	Lytecaster Incandescent 3 3/4" Non-IC with Box for Adjustable Accent		✓	
784197146658	2002P1 •	Lytecaster Incandescent 3 3/4" Non-IC	✓		C,N,F
784197174590	2003R •	Lytecaster Incandescent 3 3/4" Remodeler Ring Non-IC	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Lytecaster Incandescent 3 3/4" (continued)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Trims					
784197146559	2005	Lytecaster Incandescent 3 3/4" Baffle Black		✓	
784197200107	2005WH •	Lytecaster Incandescent 3 3/4" Baffle White	✓		C,N,F
784197146597	2011	Lytecaster Incandescent 3 3/4" Pinhole White		✓	
784197146627	2013 •	Lytecaster Incandescent 3 3/4" Cone Specular Clear	✓		C,N,F
784197359690	2013CD	Lytecaster Incandescent 3 3/4" Cone Clear Diffuse		✓	
784197201302	2013WH •	Lytecaster Incandescent 3 3/4" Cone White	✓		C,N,F
784197200206	2027WH	Lytecaster Incandescent 3 3/4" Recessed Adjustable White Step Baffle		✓	
662057206080	2076WH •	Lytecaster Incandescent 3 3/4" Baffle White and Gloss White Flange	✓		C,N,F
784197501020	2090	Lytecaster Incandescent 3 3/4" Flat Glass Lens Shower Light Clear Plastic Flange		✓	



Lytensing Incandescent & CFL 5" frames

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197159290	1004IC •	Lytensing Incandescent 5" New Construction IC & Non-IC Housing Screw	✓		C,N,F
784197198596	1004ICN •	Lytensing Incandescent 5" New Construction IC & Non-IC Housing Nail	✓		C,N,F
784197291839	1004ICNQ •	Lytensing Incan. 5" New Construction IC & Non-IC Housing Nail Quick Connector	✓		C,N,F
784197159320	1004ICR •	Lytensing Incandescent 5" Remodeler IC & Non-IC Housing Screw	✓		C,N,F
784197219826	1004ICX •	Lytensing Incandescent 5" ICX New Construction IC Housing Screw	✓		C,N,F
784197239008	1004ICXN	Lytensing Incandescent 5" ICX New Construction IC Housing Nail		✓	
784197198503	1004SIC •	Lytensing Incandescent 5" New Construction IC & Non-IC Shallow Housing Screw	✓		C,N,F
784197198534	1004SICR	Lytensing Incandescent 5" Remodeler IC & Non-IC Shallow Housing Screw		✓	
784197523985	1004F26ESN •	Lytensing CFL 5" IC New Construction 26W Energy Star Nail 120V	✓		C,N,F



Lytecaster Incandescent 5"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197100056	1000AICM	Lytecaster Incandescent 5" IC Airseal Frame		✓	
784197119959	1000IC •	Lytecaster Incandescent 5" IC Frame	✓		C,N,F
784197120078	1002P1 •	Lytecaster Incandescent 5" Non-IC Frame	✓		C,N,F
784197174576	1003R •	Lytecaster Incandescent 5" Remodeler Ring Non-IC	✓		C,N,F
Trims					
784197120153	1005	Lytecaster Incandescent 5" Step Baffle Black		✓	
784197100506	1005WH •	Lytecaster Incandescent 5" Step Baffle White	✓		C,N,F
784197120450	1013 •	Lytecaster Incandescent 5" Cone Specular Clear	✓		C,N,F
784197359706	1013CD •	Lytecaster Incandescent 5" Cone Clear Diffuse	✓		C,N,F
784197101305	1013WH •	Lytecaster Incandescent 5" Cone White	✓		C,N,F
784197102753	1027WH	Lytecaster Incandescent 5" Adjustable Step Baffle White		✓	
784197120689	1046	Lytecaster Incandescent 5" Deep Open Reflector Specular Clear		✓	
784197120696	1071 •	Lytecaster Incandescent 5" Open Reflector White	✓		C,N,F
784197120702	1076 •	Lytecaster Incandescent 5" Basic Black Baffle	✓		C,N,F
784197107604	1076WH •	Lytecaster Incandescent 5" Basic White Baffle	✓		C,N,F
784197120719	1078	Lytecaster Incandescent 5" Dropped Opalex Shower Light		✓	
784197017132	1081WH	Lytecaster Incandescent 5" Open Wet Location for Lytensing PAR30 White		✓	
784197120733	1082	Lytecaster Incandescent 5" Basic White Eyeball		✓	
784197017156	1084WH	Lytecaster Incandescent 5" Open Wet Location for Lytecaster PAR30 White		✓	
784197120757	1085	Lytecaster Incandescent 5" Basic Wall Washer White		✓	
784197501006	1090	Lytecaster Incandescent 5" Flat Glass Lens Shower Light Clear Plastic Flange		✓	
784197205881	C71	Lytecaster Incandescent 5" Open White Reflector Trim		✓	
784197205874	C76WH •	Lytecaster Incandescent 5" White Baffle Reflector Trim	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Lytening Incandescent 6 3/4" frames

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057517995	1104IC •	Lytening Incandescent 6 3/4" New Construction IC & Non-IC Housing Screw	✓		C,N,F
784197198589	1104ICN •	Lytening Incandescent 6 3/4" New Construction IC & Non-IC Housing Nail	✓		C,N,F
784197291815	1104ICNQ •	Lytening Incan. 6 3/4" New Construction IC & Non-IC Housing Nail Quick Connector	✓		C,N,F
784197159337	1104ICR •	Lytening Incandescent 6 3/4" Remodeler IC & Non-IC Housing Screw	✓		C,N,F
784197219819	1104ICX •	Lytening Incandescent 6 3/4" ICX New Construction IC Housing Screw	✓		C,N,F
784197239015	1104ICXN •	Lytening Incandescent 6 3/4" ICX New Construction IC Housing Nail	✓		C,N,F
784197198497	1104SIC	Lytening Incan. 6 3/4" New Construction IC & Non-IC Shallow Housing Screw		✓	
784197198541	1104SICR	Lytening Incandescent 6 3/4" Remodeler IC & Non-IC Shallow Housing Screw		✓	



Lytecaster Incandescent 6 3/4"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197110000	1100AICM	Lytecaster Incandescent 6 3/4" IC Airseal Housing		✓	
784197110239	1100IC •	Lytecaster Incandescent 6 3/4" IC	✓		C,N,F
784197110222	1102P1 •	Lytecaster Incandescent 6 3/4" Non-IC	✓		C,N,F
784197174583	1103R •	Lytecaster Incandescent 6 3/4" Remodeler Ring Non-IC	✓		C,N,F
Trims					
784197123154	1105	Lytecaster Incandescent 6 3/4" Step Baffle Black		✓	
784197123352	1113 •	Lytecaster Incandescent 6 3/4" Cone Specular Clear	✓		C,N,F
784197123789	1126	Lytecaster Incandescent 6 3/4" Regressed Fresnel Lens White Splay		✓	
784197124175	1146	Lytecaster Incandescent 6 3/4" A Lamp Open Reflector Specular Clear		✓	
784197117108	1171 •	Lytecaster Incandescent 6 3/4" Open Reflector White	✓		C,N,F
784197003500	1176 •	Lytecaster Incandescent 6 3/4" Basic Baffle Black	✓		C,N,F
784197118204	1182	Lytecaster Incandescent 6 3/4" Basic White Eyeball		✓	
784197110703	1105WH •	Lytecaster Incandescent 6 3/4" Step Baffle White	✓		C,N,F
784197359713	1113CD	Lytecaster Incandescent 6 3/4" Cone Clear Diffuse		✓	
784197243609	1117WH •	Lytecaster Incandescent 6 3/4" Basic White Baffle Reflector	✓		C,N,F
784197113520	1131WH •	Lytecaster Incandescent 6 3/4" Slope Ceiling 10-30° Baffle White	✓		C,N,F
784197113322	1133WH	Lytecaster Incandescent 6 3/4" Slope Ceiling 30-45° Baffle White		✓	
784197017231	1154WH	Lytecaster Incandescent 6 3/4" Complete Slope Ceiling 14-45° White Baffle		✓	
784197003517	1176WH •	Lytecaster Incandescent 6 3/4" Basic Baffle White	✓		C,N,F
784197194758	1177LX •	Lytecaster Incandescent 6 3/4" Flush Glass Shower Light White Plastic Flange	✓		C,N,F
784197117719	1177SH	Lytecaster Incandescent 6 3/4" Flush Opalex Shower Light White Plastic Flange		✓	
784197183424	1178LX	Lytening Incandescent 5" & 6 3/4" Drop Opalex Shower Light		✓	
784197117818	1178SH	Lytecaster Incandescent 6 3/4" Drop Opalex Shower Light White Plastic Flange		✓	
784197290580	B17WH •	Lytecaster Incandescent 6 3/4" Baffle BR30 Shallow Plenum White	✓		C,N,F



Lytecaster MR16 3 3/4"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197006013	2000AICV	Lytecaster MR16 3 3/4" IC Airseal Magnetic Transformer 120V		✓	
784197146672	2000LV •	Lytecaster MR16 3 3/4" Non-IC Magnetic Transformer 120V	✓		C,N,F
784197200053	2000LVR •	Lytecaster MR16 3 3/4" Non-IC Remodeler Magnetic Transformer 120V	✓		C,N,F
784197239541	2004ICV •	Lytecaster MR16 3 3/4" IC Airseal Magnetic Transformer 120V Screw	✓		C,N,F
784197238995	2004ICVN	Lytecaster MR16 3 3/4" IC Airseal Magnetic Transformer 120V Nail		✓	
Trims					
784197386962	2025WH •	Lytecaster MR16 3 3/4" Mini Swivel Adjustable MR16 White	✓		C,N,F
784197146566	2006	Lytecaster MR16 3 3/4" Adjustable SLOT MR16 White		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Lytepoints MR16 3 3/4"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057037196	300MRSPX •	Lytepoints MR16 3 3/4" Remodeler Non-IC MR16 Magnetic Silent Pack	✓		C,N,F
662057037233	302MRIC7SPX •	Lytepoints MR16 3 3/4" IC-Airseal Frame MR16 Magnetic Silent Pack 7" Box	✓		C,N,F
662057037226	302MRIC9SPX •	Lytepoints MR16 3 3/4" IC-Airseal Frame MR16 Magnetic Silent Pack 9" Box	✓		C,N,F
662057037141	302MRSPX •	Lytepoints MR16 3 3/4" Non-IC Frame MR16 Magnetic Silent Pack	✓		C,N,F
784197316341	303MRE •	Lytepoints MR16 3 3/4" Non IC Shallow Remodeler Electronic	✓		C,N,F
784197436018	3401MREX •	Lytepoints MR16 3 3/4" Adjustable	✓		C,N,F
Trims					
624563100962	304CCDX •	Lytepoints MR16 3 3/4" Adjustable Cone Clear Diffuse	✓		C,N,F
624563083418	304CLX •	Lytepoints MR16 3 3/4" Adjustable Cone Specular Clear	✓		C,N,F
624563083319	305WHWX •	Lytepoints MR16 3 3/4" Adjustable Baffle White	✓		C,N,F
624563083494	308WWX	Lytepoints MR16 3 3/4" Adjustable Pinhole White		✓	
784197435707	313STX	Lytepoints MR16 3 3/4" Adjustable Gimbal Brushed Steel		✓	
784197435714	313WHX •	Lytepoints MR16 3 3/4" Adjustable Gimbal White		✓	
784197436070	374CHX •	Lytepoints MR16 3 3/4" Adjustable Chrome Cone	✓		C,N,F
784197436094	375WHX •	Lytepoints MR16 3 3/4" Adjustable White Baffle	✓		C,N,F
784197436339	378WHX •	Lytepoints MR16 3 3/4" Adjustable Elbow White	✓		C,N,F



C1 Modular

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
C1 Frames					
783238029981	CM6 •	C1 6" Metal Frame, New Construction	✓		C,N,F
783238029998	CM8 •	C1 8" Metal Frame, New Construction	✓		C,N,F
C1 Electricals					
783238105135	F126/32/42U	C1 Electrical Kit, 1 Lamp Horizontal CFL 26-42W	✓		C,N,F
783238105166	F226/32/42U	C1 Electrical Kit, 2 Lamp Horizontal CFL 26-42W	✓		C,N,F
783238105197	FV26/32/42U	C1 Electrical Kit, 1 Lamp Vertical CFL 26-42W	✓		C,N,F
783238030048	A300	C1 Electrical Kit, Incandescent		✓	
C1 Reflectors					
783238031274	V65	C1 6" Vertical Lamp Clear Reflector with White Flange	✓		C,N,F
783238031427	H85	C1 8" Horizontal Lamp Clear Reflector with White Flange	✓		C,N,F
783238031779	V85	C1 8" Vertical Lamp Clear Reflector with White Flange		✓	
783238030925	H65	C1 6" Horizontal Lamp, Clear Reflector with White Flange	✓		C,N,F
783238153990	V65F	C1 6" Vertical Lamp Clear Cone with Fresnel Lens		✓	
783238031076	H66P	C1 6" Horizontal Lamp White Spay with Prismatic Lens		✓	
C1 Accessories					
783238139963	BH1	C1 Mounting Bars, 12-24in	✓		C,N,F
783238241055	BH3	C1 Mounting Bars, 27 inch	✓		C,N,F
783238154072	CH24	C1 24 inch Channel Mounting Bars		✓	

Lytecaster Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197145125	1955	Lytecaster Retaining Clip		✓	
784197145132	1956 •	Lytecaster Set of 4 Mounting Bar Clips	✓		C,N,F
784197367237	LASS6 •	Lytecaster Airseal Gasket		✓	
783238121722	OV2	C Plus 6" Oversize Flange Accessory		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



C Plus 4"

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
783238154447	P4 •	C Plus 4" New Construction INC Non-IC	✓		C,N,F
783238154454	P4ASIC •	C Plus 4" New Construction INC IC-Airseal	✓		C,N,F
783238154461	P4R •	C Plus 4" Non-IC INC Remodeler	✓		C,N,F
Trims					
783238154478	P4B •	C Plus 4" Black Baffle Downlight		✓	
783238154485	P4BW •	C Plus 4" White Baffle Downlight	✓		C,N,F
783238154553	P4EW •	C Plus 4" White Eyeball		✓	
783238154560	P4EB •	C Plus 4" Black Eyeball	✓		C,N,F
783238154607	P4F •	C Plus 4" Fresnel Lens Shower Light		✓	
783238154515	P4RC •	C Plus 4" Clear Cone Downlight	✓		C,N,F
783238154577	P4GW •	C Plus 4" Adjustable Gimbal White	✓		C,N,F
783238154584	P4GB •	C Plus 4" Adjustable Gimbal Black	✓		C,N,F



C Plus 6"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
783238169021	PR75ASICNB •	C Plus 6" New Construction IC-Airseal	✓		C,N,F
783238146718	R9ASIC •	C Plus 6" New Construction IC-Airseal Shallow	✓		C,N,F
783238188886	QL6NBQP •	C Plus 6" New Construction Airseal / IC QuickLights	✓		C,N,F
783238182891	PR26ASICNBNE1 •	C Plus 6" New Construction IC Airseal 26W CFL Vertical	✓		C,N,F
783238131233	CRR1NBQP •	C Plus 6" IC/Airseal INC Remodeler	✓		C,N,F
783238146824	RR9ASIC •	C Plus 6" Shallow Remodeler		✓	
783238186660	FD2IC6V2632U •	Firedome 6" CFL	✓		C,N,F
783238170096	FDS2632 •	C Plus 6" Firedome Socket CFL	✓		C,N,F
783238185090	FD2IC6V90 •	Firedome 6" Incandescent		✓	
783238170065	FDSINC •	C Plus 6" Firedome Socket Incandescent		✓	
783238185106	FD2NECK-2H	C Plus 6" Firedome Collar Accessory for 2-Hour Rating		✓	
783238181559	VS6 •	C Plus 6" IC Slope Ceiling Frame		✓	
Trims					
783238121388	RB30W •	C Plus 6" PAR38, PAR30, BR30 Grooved Baffle White	✓		C,N,F
783238146770	RBS30W •	C Plus 6" Shallow PAR-BR30 Grooved Baffle WH		✓	
783238039850	RB30 •	C Plus 6" PAR38, PAR30, BR30 Grooved Baffle Black	✓		C,N,F
783238121395	RB40W •	C Plus 6" PAR38, BR40 Grooved Baffle White	✓		C,N,F
783238039904	RC30C •	C Plus 6" Clear Cone for INC or CFL White Flange	✓		C,N,F
783238039928	RC30W •	C Plus 6" White Cone for INC or CFL White Flange	✓		C,N,F
783238190988	RBA100CLR •	C Plus 6" Clear Reflector for INC & CFL	✓		C,N,F
783238137020	RBC30WM •	C Plus 6" PAR38, PAR30, BR30 Cone Grooved Baffle White	✓		C,N,F
783238137013	RBC30M •	C Plus 6" PAR38, PAR30, BR30 Cone Grooved Baffle Black	✓		C,N,F
783238154386	RF30W •	C Plus 6" PAR30 White Large Flange	✓		C,N,F
783238039966	RS30W •	C Plus 6" PAR30 White SPAY	✓		C,N,F
783238017551	SHR12IC •	C Plus 6" A19 Albalite Regressed Lens Plastic White Flange	✓		C,N,F
783238015267	SHR16IC •	C Plus 6" A19 Drop Opal Shower Light Vertical Plastic White Flange	✓		C,N,F
783238161476	SHR6ICW •	C Plus 6" Regressed Shower Light CFL Vertical White	✓		C,N,F
783238121166	R18P •	C Plus 6" Eyeball BR30 White	✓		C,N,F
783238186172	VS630WHT	C Plus 6" Slope Ceiling White Baffle		✓	
783238186165	VS630BLK	C Plus 6" Slope Ceiling Black Baffle		✓	

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Calculite Downlighting



Calculite LED 1 3/4"

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057574776	C2LDLCCDP	Calculite LED 1.75" LED Reflector, Downlight Reflector		✓	
662057634463	C2LIC	Calculite LED 1.75" Aperture New Construction		✓	
662057569970	CA2FMR	Calculite LED 1.75" Accessory Flush Mount Ring		✓	
662057625492	CA2X2FMR	Calculite LED 1.75" Accessory Square Flush Mount		✓	
662057574516	C2L04DL30K25R1	Calculite LED 1.75" FIK Remodeler. 3000K, 25 Degree 120V. C2L or C2x2L rqd		✓	
662057741819	C2L04DL30K25RUZ10V	Calculite LED 1.75" FIK Remodeler. 3000K, 25 Degree 120-277v. 0-10V dimming.		✓	



Calculite Evolution LED 3"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057812182	C3L085A0130K8NF	Calculite Evolution LED 3" Accent Light Engine - 3000k, 80CRI, Narrow Flood		✓	
662057817491	C3L085AP0130K8NF	Calculite Evo LED 3" Accent Pinhole Light Engine - 3000k, 80CRI, Narrow Flood		✓	
662057812427	C3L085DP0130K8NF	Calculite Evo LED 3" Downlight Pinhole Light Engine - 3000k, 80CRI, Narrow Flood		✓	
662057811383	C3LAPWH	Calculite Evolution LED 3" Accent Pinhole Trim - White		✓	
662057811529	C3LDLMCCLW	Calculite Evolution LED 3" Medium Beam Downlight Trim, CCL Finish, white flange		✓	
662057811925	C3LDLWCCLW	Calculite Evolution LED 3" Wide Beam Downlight Trim, CCL Finish, white flange		✓	
784197492410	C3MRDCCDW	Calculite Evolution LED 3" Trim CCD with White Flange		✓	



Calculite MR16 3" Low Voltage

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197492083	C3ALVE1	Calculite 3" Frame Non IC Airseal, Low Voltage Electronic Transformer - 120V	✓		C,N,F
784197492113	C3LVE1	Calculite 3" Frame Non IC, Low Voltage Electronic Transformer - 120V	✓		C,N,F
Trims					
784197492212	C3MRACCDW	Calculite 3" Trim Kit Adjustable Accent CCD w/White Flange	✓		C,N,F



Calculite MR16 4" Low Voltage

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197224998	C4AIC	Calculite 4" Frame IC Airseal Incandescent	✓		C,N,F
784197529222	C4AICLVE1	Calculite 4" Frame IC, Airseal Low Voltage, Electronic Transformer - 120V	✓		C,N,F
784197529284	C4LVMU	Calculite 4" Frame, Non-IC, Low Voltage	✓		C,N,F
784197242862	C4MRACCDW	Calculite 4" Trim Kit Adjustable Accent CCD finish, White Flange	✓		C,N,F
784197243173	C4MRDCCDW	Calculite Evolution 4" Downlight Trim, CCD finish, White Flange		✓	

CCL = Comfort Clear
CCD = Comfort Clear Diffuse

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut
A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.
Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.
Product information may change without notice. Contact your local Philips sales representative for additional product information.



Calculite CFL 4"

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197281663	4118VU	4" 1-18W Tripple Tube Frame-in-kit w/Ballast Ballast	✓		C,N,F
784197281670	4118VUEM	4" 1-18W Tripple Tube FIK wBallast Ballast Emergency		✓	
784197227227	8011CCLW	4" 18W Triple Tube Vertical Downlight Reflector Comfort Clear White Flange	✓		C,N,F
784197596156	D4132VU	4" Vetro downlight 1/26-32 TTT 120/277V USE w/8011 & D4A Series Vetro		✓	



Calculite Incandescent 4", 6", 7" frames

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197770006	A400	Calculite Incandescent 4 1/2" Frame in Kit		✓	
784197770051	B600	Calculite Incandescent 6" Frame in Kit		✓	



Calculite CFL 6"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197240226	6132BURM	Calculite CFL 6" FIK (1) 26/32W Triple Tube Electronic Remodeler		✓	
662057023571	S6126BU	Calculite CFL 6" FIK (1) 26W Triple Tube Vertical and Horizontal Lamp		✓	
662057601007	S6132BJ2MX	Calculite CFL 6" FIK (1) 26/32W TTT 277V w/Advance Mark 10		✓	
662057131764	S6132BJULECD	Calculite CFL 6" FIK (1) 26/32W TTT Lutron Eco-System		✓	
662057107738	S6132BJUM7	Calculite CFL 6" FIK (1) 26/32W TTT 120/277V MARK VII Dimming		✓	
784197418588	S6132BU	Calculite CFL 6" FIK (1) 32W Triple Tube for Vertical and Horizontal Lamp	✓		C,N,F
784197447083	S6132BUEM	Calculite CFL 6" FIK Steel (1) 26/32W TTT 120/277V w/Emergency	✓		C,N,F
662057601045	S6132BUEM4E	Calculite CFL 6" FIK (1) 26/32W TTT 120/277V EM w/ integral EM Test		✓	
662057011554	S6132BULC	Calculite CFL 6" FIK (1) 26/32W Triple Tube - Chicago Plenum		✓	
784197510633	S6132BUS	Calculite CFL 6" FIK (1) 26/32W Triple Tube		✓	
Trims					
784197226527	8021CCLW	Calculite CFL 6" 26/32W Triple Tube Vertical Reflector Comfort Clear White Flange	✓		C,N,F
784197226657	8021WWCCLW	Calculite CFL 6" 26/32W Triple Tube Single Open Wall Wash Reflector		✓	
784197226695	8031CCLW	Calculite CFL 6" Horiz. Tri-Tube Downlight Reflector Comfort Clear White Flange	✓		C,N,F
784197161033	8091CCCLW	Calculite CFL 6" CFL Clear Lens Downlight For (1) Triple		✓	



Calculite CFL 7"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
784197527112	S7142BU	Calculite CFL 7" FIK (1) 26/32/42W Triple Tube Elect for Vertical & Horizontal Lamp	✓		C,N,F
784197527136	S7142BUEM	Calculite CFL 7" FIK Steel (1) 42W TTT 120/277V Emergency	✓		C,N,F
784197633134	S7132BU	Calculite CFL 7" FIK (1) 32W TTT Electronic 4-PIN UNV Steel FIK		✓	
662057601601	S7142BUEM4E	Calculite CFL 7" FIK (1) 42W TTT 120/277V EM w/ integral TEST		✓	
Trims					
784197227593	8022CCLW	Calculite CFL 7" 32/42W TTT Downlight Vertical Refl. Comfort Clear White Flange		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

CCL = Comfort Clear

CCD = Comfort Clear Diffuse



Calculite CFL Rectilinears

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197503093	4X4132HUEM4E	4 1/2" Square FIK - 26, 32W Triple Integral EM with internal test switch		✓	
784197359805	4X9142HU	4 1/2" X 9" Rectangular FIK - 26,32,42W		✓	
784197359904	9X9242HU	9" X 9" Square FIK 2X26, 32, 42W Triple		✓	
784197360351	4X4CCLW	4 1/2" X 4 1/2" Open Trim - CCL/White		✓	



Calculite CFL 8"

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197527198	S8242HU	8" FIK 2-26/32/-42W TRIPE Tube ELEC 4PIN		✓	
784197527082	S8242HUEM	8" FIK Steel 2-26/32/42W TTT 120/277V with Emergency		✓	
784197226978	8038CCLW	8" Horiz. TRI-Tube Downlight Reflector CCD with White Flange		✓	



Calculite White LED 4" Adjustable Accent

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057914473	C4LA15NULD	Calculite White LED 4" Adj. Accent 1500lm New Const. UNV Non-IC w/Lutron dim	✓		
662057914411	C4LA15NUZ10V	Calculite White LED 4" Adj. Accent 1500lm New Const. UNV Non-IC w/0-10V dim	✓		
662057914459	C4LA15NUZ10VAIC	Calculite White LED 4" Adj. Accent 1500lm New Const. UNV AirSeal-IC w/0-10V dim	✓		
Light Engines					
662057914169	C4L15A30K8FL	Calculite White LED 4" Adj. Accent 1500lm 3000K, 80CRI, Flood	✓		
662057914299	C4L15A30K8NF	Calculite White LED 4" Adj. Accent 1500lm 3000K, 80CRI, Narrow Flood	✓		
662057914138	C4L15A30K8TSP	Calculite White LED 4" Adj. Accent 1500lm 3000K, 80CRI, Tight Spot	✓		
662057914206	C4L15A35K8FL	Calculite White LED 4" Adj. Accent 1500lm 3500K, 80CRI, Flood	✓		
662057914190	C4L15A35K8NF	Calculite White LED 4" Adj. Accent 1500lm 3500K, 80CRI, Narrow Flood	✓		
662057914183	C4L15A35K8SP	Calculite White LED 4" Adj. Accent 1500lm 3500K, 80CRI, Spot	✓		
662057914176	C4L15A35K8TSP	Calculite White LED 4" Adj. Accent 1500lm 3500K, 80CRI, Tight Spot	✓		
Trims					
662057914046	C4LACCLW	Calculite White LED 4" Adj. Accent Reflector Comfort Clear, White Flange	✓		



Calculite White LED 4" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057862033	C4L10NUVBZ10V	Calculite White LED 4" 1000lm New Construction - 120-277V	✓		C,N,F
662057862057	C4L10NUVBOLD	Calculite White LED 4" 1000lm New Construction - 120-277V Lutron Hi Lume		✓	
662057873961	C4L10NUVBZ10VEM	Calculite White LED 4" 1000lm New Construction - 120-277V Emergency		✓	
662057862040	C4L10NUVBZ10VLC	Calculite White LED 4" 1000lm New Construction - 120-277V Chicago Plenum		✓	
662057862071	C4L15N1VBZ10V	Calculite White LED 4" 1500lm New Construction - 120V	✓		C,N,F
662057862118	C4L15N2VBZ10V	Calculite White LED 4" 1500lm New Construction - 277V	✓		C,N,F
662057862095	C4L15N1VBOLD	Calculite White LED 4" 1500lm New Construction - 120V Lutron Hi Lume		✓	
662057873978	C4L15N1VBZ10VEM	Calculite White LED 4" 1500lm New Construction - 120V Emergency		✓	
662057862088	C4L15N1VBZ10VLC	Calculite White LED 4" 1500lm New Construction - Chicago Plenum		✓	
662057873985	C4L15N2VBZ10VEM	Calculite White LED 4" 1500lm New Construction - 277V Emergency		✓	

CCL = Comfort Clear
CCD = Comfort Clear Diffuse

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut
A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.
Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.
Product information may change without notice. Contact your local Philips sales representative for additional product information.



Calculite White LED 4" Round (continued)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Trims					
662057855196	C4L10DL30KCCLWVB	Calculite White LED 4" 1000/1500lm 3000K Downlight Trim, CCL, White Flange		✓	
662057855349	C4L10DL35KCCLWVB	Calculite White LED 4" 1000/1500lm 3500K Downlight Trim, CCL, White Flange		✓	
662057855967	C4L10WW30KCCLWVB	Calculite White LED 4" 1000/1500lm 3000K Open Wall Wash Trim, CCL, White Flange		✓	
662057856339	C4L10WW35KCCLWVB	Calculite White LED 4" 1000/1500lm 3500K Open Wall Wash Trim, CCL, White Flange		✓	
662057855967	C4L10WW30KCCLWVB	Calculite White LED 4" 1000lm 3000K Wall Wash Trim, CCL, White Flange		✓	



Calculite White LED 6" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057862347	C6L15NUVBZ10V	Calculite White LED 6" 1500lm New Construction 120-277V	✓		C,N,F
662057862385	C6L20N1VBZ10V	Calculite White LED 6" 2000lm New Construction 120V	✓		C,N,F
662057862361	C6L15NUVBOLD	Calculite White LED 6" 1500lm New Construction 120-277V Lutron High Lumen		✓	
662057874142	C6L15NUVBZ10VEM	Calculite White LED 6" 1500lm New Construction 120-277V Emergency		✓	
662057862354	C6L15NUVBZ10VLC	Calculite White LED 6" 1500lm New Construction 120-277V Chicago Plenum		✓	
662057862408	C6L20N1VBOLD	Calculite White LED 6" 2000lm New Construction 120V Lutron High Lumen		✓	
662057874159	C6L20N1VBZ10VEM	Calculite White LED 6" 2000lm New Construction 120V Emergency		✓	
662057862392	C6L20N1VBZ10VLC	Calculite White LED 6" 2000lm New Construction 120V Chicago Plenum		✓	
662057862422	C6L20N2VBZ10V	Calculite White LED 6" 2000lm New Construction 277V		✓	
662057874197	C6L20N2VBZ10VEM	Calculite White LED 6" 2000lm New Construction 277V Emergency		✓	
662057911090	C6L10NUVBZ10V	Calculite White LED 6" 1000lm New Construction 120-277V		✓	
662057862446	C6L20N2VBOLD	Calculite White LED 6" 2000lm New Construction 277V Lutron		✓	
Trims					
662057859491	C6L1520DL30KMCLWVB	Calculite White LED 6" 1500/2000lm Med Bm DL, 3000K, CCL, White Flange		✓	
662057860541	C6L1520DL30KWCLWVB	Calculite White LED 6" 1500/2000lm Wide Bm DL, 3000K, CCL, White Flange		✓	
662057859637	C6L1520DL35KMCLWVB	Calculite White LED 6" 1500/2000lm Med Bm DL, 3500K, CCL, White Flange		✓	
662057860701	C6L1520DL35KWCLWVB	Calculite White LED 6" 1500/2000lm Wide Bm DL, 3500K, CCL, White Flange		✓	
662057859774	C6L1520WW30KCCLWVB	Calculite White LED 6" 1500/2000lm 3000K Open Wall Wash, CCL, White Flange		✓	
662057860121	C6L1520WW35KCCLWVB	Calculite White LED 6" 1500/2000lm 3500K Open Wall Wash, CCL, White Flange		✓	
662057910536	C6L10DL30KMCLWVB	Calculite White LED 6" 1000lm 3000K Downlight Trim, Comfort Clear, White Flange		✓	
662057910673	C6L10DL35KMCLWVB	Calculite White LED 6" 1000lm 3500K Downlight Trim, Comfort Clear, White Flange		✓	



Calculite White LED 4" Square

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057862194	C4X4L10NUVBZ10V	Calculite White LED 4x4 1000lm New Construction 120-277V	✓		C,N,F
662057862231	C4X4L10NUVBOLD	Calculite White LED 4x4 1000lm New Construction 120-277V Lutron Hi Lume		✓	
662057862262	C4X4L15N1VBZ10V	Calculite White LED 4x4 1500lm New Construction 120V		✓	
Trims					
662057889634	C4X4L10DL30KCCLWVB	Calculite White LED 4x4 1000/1500lm 3000K Downlight, CCL, White Flange		✓	
662057889788	C4X4L10DL35KCCLWVB	Calculite White LED 4x4 1000/1500lm 3500K Downlight, CCL, White Flange		✓	
662057890227	C4X4L10WW30KCCLWVB	Calculite White LED 4x4 1000/1500lm 3000K Lensed Wall Wash, CCL, White Flange		✓	
662057890418	C4X4L10WW35KCCLWVB	Calculite White LED 4x4 1000/1500lm 3500K Lensed Wall Wash, CCL, White Flange		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

CCL = Comfort Clear

CCD = Comfort Clear Diffuse



Calculite White LED 6" Square

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057862460	C6X6L15NUVBZ10V	Calculite White LED 6x6 1500lm New Construction 120-277v	✓		C,N,F
662057862507	C6X6L20N1VBZ10V	Calculite White LED 6x6 2000lm New Construction 120v	✓		C,N,F
662057862484	C6X6L15NUVB LD	Calculite White LED 6x6 1500lm New Construction 120-277v Lutron Hi Lume		✓	
662057874210	C6X6L15NUVBZ10VEM	Calculite White LED 6x6 1500lm New Construction 120-277v Emergency		✓	
662057862477	C6X6L15NUVBZ10VLC	Calculite White LED 6x6 1500lm New Construction 120-277v Chicago Plenum		✓	
662057862514	C6X6L20N1VBZ10VLC	Calculite White LED 6x6 2000lm New Construction 120v Chicago Plenum		✓	
Trims					
662057890913	C6X6L1520DL30KCCLWVB	Calculite White LED 6x6 1500/2000lm 3000K Downlight CCL White Flange		✓	
662057891057	C6X6L1520DL35KCCLWVB	Calculite White LED 6x6 1500/2000lm 3500K Downlight CCL White Flange		✓	
662057891477	C6X6L1520WW30KCCLWVB	Calculite White LED 6x6 1500/2000lm 3000K Lensed Wall Wash CCL White Fl.		✓	
662057891613	C6X6L1520WW35KCCLWVB	Calculite White LED 6x6 1500/2000lm 3500K Lensed Wall Wash CCL White Fl.		✓	



Calculite White LED 7" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057862583	C7L15NUVBZ10V	Calculite White LED 7" 1500lm NON-IC New Construction 120-277V		✓	
662057862705	C7L35N1VBZ10V	Calculite White LED 7" 3500lm NON-IC New Construction 120V		✓	
662057927657	C7L50N1VBLD	Calculite White LED 7" 6000lm NON-IC New Construction 120V w/Lutron dimming		✓	
662057927626	C7L50N1VBZ10V	Calculite White LED 7" 6000lm NON-IC New Construction 120V w/0-10V dimming		✓	
662057927664	C7L50N2VBLD	Calculite White LED 7" 6000lm NON-IC New Construction 277V w/Lutron dimming		✓	
662057927640	C7L50N2VBZ10V	Calculite White LED 7" 6000lm NON-IC New Construction 277V w/0-10V dimming		✓	
Trims					
662057864259	C7L1520DL30KMCCLWVB	Calculite White LED 7" 1500/2000lm Medium Beam Downlight 3000K CCL White Fl.		✓	
662057864877	C7L1520DL30KWCCCLWVB	Calculite White LED 7" 1500/2000lm Wide Beam Downlight 3000K CCL White Fl.		✓	
662057864396	C7L1520DL35KMCCLWVB	Calculite White LED 7" 1500/2000lm Medium Beam Downlight 3500k CCL White Fl.		✓	
662057865010	C7L1520DL35KWCCCLWVB	Calculite White LED 7" 1500/2000lm Wide Beam Downlight 3500k CCL White Flange		✓	
662057865461	C7L1520WW30KCCLWVB	Calculite White LED 7" 1500/2000lm Open Wall Wash 3000K CCL White Flange		✓	
662057865607	C7L1520WW35KCCLWVB	Calculite White LED 7" 1500/2000lm Open Wall Wash 3500k CCL White Flange		✓	
662057928555	C7L50DL30KMCCLWVB	Calculite White LED 7" 6000lm Downlight 3000K Medium Beam CCL White Flange		✓	
662057927992	C7L50DL30KNCCCLWVB	Calculite White LED 7" 6000lm Downlight 3000K Narrow Beam CCL White Flange		✓	
662057929125	C7L50DL30KWCCCLWVB	Calculite White LED 7" 6000lm Downlight 3000K Wide Beam CCL White Flange		✓	
662057928708	C7L50DL35KMCCLWVB	Calculite White LED 7" 6000lm Downlight 3500K Medium Beam CCL White Flange		✓	
662057928135	C7L50DL35KNCCCLWVB	Calculite White LED 7" 6000lm Downlight 3500K Narrow Beam CCL White Flange		✓	
662057929279	C7L50DL35KWCCCLWVB	Calculite White LED 7" 6000lm Downlight 3500K Wide Beam CCL White Flange		✓	



Calculite White LED 8" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
662057862781	C8L35N1VBZ10V	Calculite White LED 8" 3500lm New Construction 120V		✓	

CCL = Comfort Clear
CCD = Comfort Clear Diffuse

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut
A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.
Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.
Product information may change without notice. Contact your local Philips sales representative for additional product information.



Calculite White LED 7" Cylinder

Luminaire Smart
Service Guide
.....
Indoor/Outdoor
.....

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
662057892382	C7L15CW30KMCCLUVB	Calculite White LED 7" Cylinder 1500lm 3000K Medium Beam CCL White finish		✓	
662057892498	C7L15CW35KMCCLUVB	Calculite White LED 7" Cylinder 1500lm 3500K Medium Beam CCL White finish		✓	
662057893105	C7L20CW30KMCCLUVB	Calculite White LED 7" Cylinder 2000lm 3000K Medium Beam CCL White finish		✓	
662057893198	C7L20CW35KMCCLUVB	Calculite White LED 7" Cylinder 2000lm 3500K Medium Beam CCL White finish		✓	
662057926995	C7L35CW35KMCCLUVB	Calculite White LED 7" Cylinder 3500lm 3500K Medium Beam CCL White finish		✓	
662057929811	C7L50CW30KZ10VNCCLUVB	Calculite White LED 7" Cylinder 6000lm 3000K Narrow Beam CCL White finish		✓	
662057929828	C7L50CW30KZ10VMCCLUVB	Calculite White LED 7" Cylinder 6000lm 3000K Narrow Beam CCL White finish		✓	
662057929835	C7L50CW30KZ10VWCCLUVB	Calculite White LED Cylinder7" 6000lm 3000K Wide Beam CCL White finish		✓	
662057929859	C7L50CW35KZ10VMCCLUVB	Calculite White LED Cylinder7" 6000lm 3500K Medium Beam CCL White finish		✓	
662057929842	C7L50CW35KZ10VNCCLUVB	Calculite White LED Cylinder7" 6000lm 3500K Narrow Beam CCL White finish		✓	
662057929866	C7L50CW35KZ10VWCCLUVB	Calculite White LED Cylinder7" 6000lm 3500K Wide Beam CCL White finish		✓	



Calculite Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
784197145002	1950	Mounting Bars 18" Set of (2)	✓		C,N,F
784197145033	1951	Mounting Bars 27" Set of (2)	✓		C,N,F
784197289041	7994	Set of 2 Telescoping Mounting Bars-Calculite		✓	
999999115324	C4TCA2	Evolution 4" Thick Ceiling Adapter Ring		✓	
784197493448	CA3FMR	Plaster Ring Accessory for 3" Evolution		✓	
662057009223	CA4FMR	Plaster Ring Accessory for 4" LED Downlight		✓	
662057452036	CA7FMR	Plaster Ring Accessory for 7" LED Downlight		✓	
662057503035	CLAEM1520	Calculite LED Field-Wire EM-Pack 1500/2000 Lumen		✓	
784197116064	AL4HC	Hex Cell Louver For Adj 6" 7" HSN		✓	

Revelation Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781372051783	Q1031	27" Flat Bar Hangers (set of 2) for use with wood joist ceilings	✓		C,N,F
781372175458	Q1032	26" C-Channel (set of 2) for use with t-grid or wood joist	✓		C,N,F
781372216885	Q1033	24" Expandable bar hangers (set of 2) w/pre-installed nail (use w/t-grid or wood joist)	✓		C,N,F



Revelation LED 4" Square

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
781372288295	OM4LED20SQ120	Revelation LED 4" Square 1000lm Downlight Housing only-120V	✓		C,N,F
781372300065	OM4LED20SQ277	Revelation LED 4" Square 1000lm Downlight Housing only-277V	✓		C,N,F
Trims (use w/ 4" Square OM LED Housings)					
781372301208	R4LED30KSQCSS	Revelation LED 4" Square 3000K, Clear Semi-Specular Refl. (use w/4" OM LED hsg)	✓		C,N,F
781372288394	R4LED35KSQCSS	Revelation LED 4" Square 3500K, Clear Specular Reflector (use w/4" OM LED hsg)		✓	
781372299963	R4LED35KSQCSS	Revelation LED 4" Square 3500K, Clear Semi-Specular Refl. (use w/4" OM LED hsg)		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

CCL = Comfort Clear

CCD = Comfort Clear Diffuse



Revelation LED 4" Round

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
781372288288	OM4LED20120	Revelation LED 4" Round Downlight Housing only, 1000 Lumen, 120V	✓		C,N,F
781372302892	OM4LED20277	Revelation LED 4" Round Downlight Housing only, 1000 Lumen, 277V	✓		C,N,F
781372336057	OM4LED28120	Revelation LED 4" Round 1500lm Downlight Housing only-120V	✓		C,N,F
781372336064	OM4LED28277	Revelation LED 4" Round 1500lm Downlight Housing only-277V	✓		C,N,F
Trims (use w/4" OM LED Housing)					
781372288325	R4LED30KCS	Revelation LED 4" Round 3000K, w/Clear Specular Reflector (use w/4" OM LED hsg)	✓		C,N,F
781372302557	R4LED30KCSS	Revelation LED 4" Round 3000K, w/Clear Semi-Specular Refl. (use w/4" OM LED hsg)		✓	
781372288332	R4LED35KCS	Revelation LED 4" Round 3500K, w/Clear Specular Reflector (use w/4" OM LED hsg)	✓		C,N,F
781372299956	R4LED35KCSS	Revelation LED 4" Round 3500K, w/Clear Semi-Specular Refl. (use w/4" OM LED hsg)	✓		C,N,F



Revelation LED 6" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
781372303912	OM6LED27120	Revelation LED 6" Round 1500lm Downlight Housing only-120v	✓		C,N,F
781372294760	OM6LED27277	Revelation LED 6" Round 1500lm Downlight Housing only-277V	✓		C,N,F
781372288318	OM6LED39120	Revelation LED 6" Round 2000lm Downlight Housing only-120v	✓		C,N,F
781372304568	OM6LED39277	Revelation LED 6" Round 2000lm Downlight Housing only-277V	✓		C,N,F
781372319494	OM6LED39RMDLR120	Revelation LED 6" Round 2000lm Remodel 120V Housing		✓	
781372319517	OM6LED39RMDLR277	Revelation LED 6" Round 2000lm Remodel 277V Housing		✓	
781372342508	OM6LED53120	Revelation LED 6" Round 3000lm Downlight Housing 120 Volt	✓		C,N,F
781372342492	OM6LED53277	Revelation LED 6" Round 3000lm Downlight Housing 277 Volt	✓		C,N,F
Trims					
781372288448	R6LED30KMDCS	Revelation LED 6" Round 3000K, Medium w/Clear Specular Refl. 1500 or 2000lm		✓	
781372304285	R6LED30KMDCSS	Revelation LED 6" Round 3000K, Med. w/Clear Semi-Specular Refl. 1500 or 2000lm		✓	
781372288479	R6LED30KWDCS	Revelation LED 6" Round 3000K, Wide w/Clear Specular Refl. 1500 or 2000lm	✓		C,N,F
781372310637	R6LED30KWDCSS	Revelation LED 6" Round 3000K, Wide w/Clear Semi-Specular Refl. 1500 or 2000lm	✓		C,N,F
781372288455	R6LED35KMDCS	Revelation LED 6" Round 3500K, Medium w/Clear Specular Refl. 1500 or 2000lm	✓		C,N,F
781372302847	R6LED35KMDCSS	Revelation LED 6" Round 3500K, Med. w/Clear Semi-Specular Refl. 1500 or 2000lm	✓		C,N,F
781372288486	R6LED35KWDCS	Revelation LED 6" Round 3500K, Wide w/Clear Specular Refl. 1500 or 2000lm	✓		C,N,F
781372299468	R6LED35KWDCSS	Revelation LED 6" Round 3500K, Wide w/Clear Semi-Specular Refl. 1500 or 2000lm	✓		C,N,F
781372288462	R6LED40KMDCS	Revelation LED 6" Round 4000K, Medium w/ Clear Specular Refl. 1500 or 2000lm	✓		C,N,F
781372288493	R6LED40KWDCS	Revelation LED 6" Round 4000K, Wide w/Clear Specular Reflector 1500 or 2000lm	✓		C,N,F
781372342539	R6LED5330KWDCS	Revelation LED 6" Round 3000K, Wide w/ Clear Specular Reflector		✓	
781372342546	R6LED5335KWDCS	Revelation LED 6" Round 3500K, Wide w/ Clear Specular Reflector		✓	



Revelation LED 8" Round

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
Frames					
781372344694	OM8LED39RMDLR277	8" 2000 Lumen, Round LED, Remodel Downlight 3000K		✓	
781372342515	OM8LED53120	8" 3000 Lumen Round LED Downlight Housing 120 Volt	✓		C,N,F
781372342522	OM8LED53277	8" 3000 Lumen Round LED Downlight Housing 277 Volt	✓		C,N,F
Trims					
781372342560	R8LED5330KWDCS	8" 3000 Lumen Round LED 3000K, Wide Distribution w/ Clear Specular Reflector		✓	
781372342577	R8LED5335KWDCS	8" 3000 Lumen Round LED 3500K, Wide Distribution w/ Clear Specular Reflector		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Recessed

Recessed

Softlights (Direct/Indirect)



Coffaire LED Recessed

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343272947	CFS22GPG25L35ULAG •	2x2, 2500lm, 3500K, Perf Diffuser w/ White Overlay, Universal Electronic Driver		✓	
782343468890	CFS24GPG30L35ULAG •	2x4, 3000lm, 3500K, Perf Diffuser w/ White Overlay, Universal Electronic Driver		✓	
782343311639	CFS24GPG38L40ULAG •	2x4, 3800lm, 4000K, Perf Diffuser w/ White Overlay, Universal Electronic Driver		✓	



Coffaire Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343966273	CFS1GPF232UNVHI	1x4, (2) 32W T8, Perf Diffuser w/White Overlay, Universal Electronic Ballast		✓	
782343969809	CFS2GPF217UNVHI	2x2, (2) 17W T8, Perf Diffuser w/White Overlay, Universal Electronic Ballast	✓		C,N,F
782343969847	CFS2GPF2FTUNVPR •	2x2, (2) 40W TT5, Perf Diffuser w/White Overlay, Universal Electronic Ballast	✓		C,N,F
782343932681	CFH2GPF228UNVPG	2x4, (2) 28W T5, Perf Diffuser w/White Overlay, Air Return Option, Unv Elect. Ballast	✓		N
782343917831	CFS2GPF228UNVPG	2x4, (2) 28W T5, Perf Diffuser w/White Overlay, Universal Electronic Ballast	✓		C,N
782343917688	CFH2GPF232UNVHI	2x4, (2) 32W T8, Perf Diffuser w/White Overlay, Air Return Option, Unv Elect. Ballast	✓		C,N,F
782343969823	CFS2GPF232UNVHI •	2x4, (2) 32W T8, Perf Diffuser w/White Overlay, Universal Electronic Ballast	✓		C,N,F
782343917657	CFH2GPF332UNVH3	2x4, (3) 32W T8, Perf Diffuser w/White Overlay, Air Return Option, Unv Elect. Ballast	✓		C,N,F
782343916919	CFS2GPF332UNVH3 •	2x4, (3) 32W T8, Perf Diffuser w/White Overlay, Universal Electronic Ballast	✓		C,N,F
782343917725	CFS2GPF332UNVHI	2x4, (3) 32W T8, Perf Diffuser w/White Overlay, Universal Electronic Ballast	✓		C,N,F



Arioso Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340958003	2AVG217-PMW-UNV-1/2-EB	2x2, (2) 17W T8, Perf Diffuser w/ White Overlay, Universal Electronic Ballast		✓	
781370035709	2AVG317-PMW-UNV-1/3-EB	2x2, (3) 17W T8, Perf Diffuser w/ White Overlay, Universal Electronic Ballast		✓	
782343294994	2AVG232-PMW-UNV-1/2-EBIOI	2x4, (2) 32W T8, Perf Diffuser w/ White Overlay, Universal Electronic Ballast		✓	
734340750126	2AVG332-PMW-UNV-1/21-EB	2x4, (3) 32W T8, Perf Diffuser w/ White Overlay, Universal Electronic Ballast	✓		C,N
734340840599	2AVG332-PMW-UNV-1/3-EB	2x4, (3) 32W T8, Perf Diffuser w/ White Overlay, Universal Electronic Ballast	✓		C,N
734340607710	AVHD	Grid Clip For Arioso Recessed (4 each)	✓		C,N



HP90 LED Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340132793	HLS14GLR28L35ULAG	1x4, 2800lm, 3500K, Acrylic Linear Prismatic Lens, Universal Electronic Driver		✓	
734340119350	HLS22GLR28L35ULAG	2x2, 2800lm, 3500K, Acrylic Linear Prismatic Lens, Universal Electronic Driver		✓	
734340132847	HLS22GLR33L35ULAG •	2x2, 3300lm, 3500K, Acrylic Linear Prismatic Lens, Universal Electronic Driver		✓	
734340132854	HLS24GLR30L35ULAG	2x4, 3000lm, 3500K, Acrylic Linear Prismatic Lens, Universal Electronic Driver		✓	
781370050375	HLS24GLR41L35ULAG •	2x4, 4100lm, 3500K, Acrylic Linear Prismatic Lens, Universal Electronic Driver		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



HP90 Recessed

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
783238200229	H9S1GLR232UNVHI	1x4, (2) 32W T8, Acrylic Linear Prismatic Lens, Universal Electronic Ballast		✓	
782343917701	H9S2GLR214UNVPG	2x2, (2) 14W T5, Acrylic Linear Prismatic Lens, Universal Electronic Ballast	✓		F,N
734340151039	H9A2GLR217UNVHIE1	2x2, (2) 17W T8, Acrylic Linear Prismatic Lens, Air Return Option, Unv Elect. Ballast		✓	
782343917664	H9S2GLR217UNVHI	2x2, (2) 17W T8, Acrylic Linear Prismatic Lens, Universal Electronic Ballast	✓		C,N,F
782343917671	H9S2GLR224UNVPG	2x2, (2) 25W T5HO, Acrylic Linear Prismatic Lens, Universal Electronic Ballast	✓		C,N,F
782343917633	H9S2GLR228UNVPG	2x4, (2) 28W T5, Acrylic Linear Prismatic Lens, Universal Electronic Ballast	✓		C,N,F
782343917626	H9S2GLR232UNVHI	2x4, (2) 32W T8, Acrylic Linear Prismatic Lens, Universal Electronic Ballast	✓		N,F
734340150971	H9A2GLR232UNVHIE1	2x4, (2) 32W T8, Acrylic Linear Prismatic Lens, Air Return Option, Unv Elect. Ballast		✓	



HVA Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343652138	2HVAG214-D-UNV-1/2-EB	2x2, (2) 14W T5, Opal Diffuser, Unv Electronic Ballast		✓	
782343527092	2HVAG217-D-UNV-1/2-EB	2x2, (2) 17W T8, Opal Diffuser, Unv Electronic Ballast	✓		N
782343332184	2HVAG217-D-UNV-1/2-EB-LPT735 •	2x2, (2) 17W T8, Opal Diffuser, Unv Electronic Ballast, w/735 lamps		✓	
782343527344	2HVAG228-D-UNV-1/2-EB	2x4, (2) 28W T5, Opal Diffuser, Unv Electronic Ballast	✓		N
782343517345	2HVAG228-D-UNV-1/2-EB-LPT835 •	2x4, (2) 28W T5, Opal Diffuser, Unv Electronic Ballast, w/835 lamps	✓		C,N,F
782343422755	2HVAG232-D-UNV-1/2-EB	2x4, (2) 32W T8, Opal Diffuser, Unv Electronic Ballast		✓	
782343332160	2HVAG232-D-UNV-1/2-EB-LPT735 •	2x4, (2) 32W T8, Opal Diffuser, Unv Electronic Ballast, w/735 lamps	✓		C,N,F



DuaLED LED Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370169817	1DLG27L835-4-D-UNV-DIM	1x4, 2700lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		N
781370181307	2DLG27L840-2-D-UNV-DIM	2x2, 2700lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343815472	2DLG34L835-2-D-UNV-DIM	2x2, 3400lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		N
782343751732	2DLG34L840-2-D-UNV-DIM •	2x2, 3400lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343882276	2DLG38L835-2-D-UNV-DIM	2x2, 3800lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343781098	2DLG38L840-2-D-UNV-DIM	2x2, 3800lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343873267	2DLG44L835-2-D-UNV-DIM	2x2, 4400lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343743591	2DLG44L840-2-D-UNV-DIM	2x2, 4400lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343815458	2DLG43L835-4-D-UNV-DIM	2x4, 4300lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343814710	2DLG43L840-4-D-UNV-DIM •	2x4, 4300lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343841167	2DLG49L835-4-D-UNV-DIM	2x4, 4900lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		N
782343786635	2DLG49L840-4-D-UNV-DIM	2x4, 4900lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343947043	2DLG58L835-4-D-UNV-DIM	2x4, 5800lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343496763	2DLG58L840-4-D-UNV-DIM	2x4, 5800lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343820230	2DLG73L835-4-D-UNV-DIM	2x4, 7300lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	
782343786628	2DLG73L840-4-D-UNV-DIM	2x4, 7300lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



DayLine LED Recessed

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340085808	2CLG30L835-2-D-UNV	2x2, 3000lm, 3500K, Opal Diffuser, Universal Electronic Driver	✓		C,N
734340085839	2CLG30L835-2-D-UNV-DIM	2x2, 3000lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
734340085778	2CLG30L840-2-D-UNV	2x2, 3000lm, 4000K, Opal Diffuser, Universal Electronic Driver	✓		C,N
734340085792	2CLG30L840-2-D-UNV-DIM	2x2, 3000lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
781370060275	2CLG36L835-2-D-UNV	2x2, 3600lm, 3500K, Opal Diffuser, Universal Electronic Driver	✓		C,N
781370146740	2CLG36L835-2-D-UNV-DIM	2x2, 3600lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
734340085877	2CLG36L840-2-D-UNV	2x2, 3600lm, 4000K, Opal Diffuser, Universal Electronic Driver	✓		C,N
781370028145	2CLG36L840-2-D-UNV-DIM •	2x2, 3600lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
734340085914	2CLG41L835-4-D-UNV	2x4, 4100lm, 3500K, Opal Diffuser, Universal Electronic Driver	✓		C,N
781370146658	2CLG41L835-4-D-UNV-DIM	2x4, 4100lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
781370047054	2CLG41L840-4-D-UNV	2x4, 4100lm, 4000K, Opal Diffuser, Universal Electronic Driver	✓		C,N
734340085884	2CLG41L840-4-D-UNV-DIM •	2x4, 4100lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
734340086065	2CLG54L835-4-D-UNV	2x4, 5400lm, 3500K, Opal Diffuser, Universal Electronic Driver	✓		C,N
734340086089	2CLG54L835-4-D-UNV-DIM	2x4, 5400lm, 3500K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N
734340086003	2CLG54L840-4-D-UNV	2x4, 5400lm, 4000K, Opal Diffuser, Universal Electronic Driver	✓		C,N
781370028299	2CLG54L840-4-D-UNV-DIM	2x4, 5400lm, 4000K, Opal Diffuser, Universal Electronic 0-10V Dimming Driver	✓		C,N



SofTrace Recessed

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343150061	1STG232-PMW-UNV-1/2-EB	1x4, (2) 32W T8, Round Perf Diffuser w/ White Overlay, Unv Electronic Ballast		✓	
782343202692	2STG217-DS-UNV-1/2-EB	2x2, (2) 17W T8, Smooth Opal Diffuser, Unv Electronic Ballast		✓	
734340154139	2STG217-D-UNV-1/2-EB	2x2, (2) 17W T8, Ribbed Opal Diffuser, Unv Electronic Ballast	✓		C,N
734340182774	2STG217-PMW-UNV-1/2-EB	2x2, (2) 17W T8, Round Perf Diffuser w/ White Overlay, Unv Electronic Ballast		✓	
782343340288	2STG2CF40-DS-UNV-1/2-EB	2x2, (2) 40W TT5, Smooth Opal Diffuser, Unv Electronic Ballast		✓	
734340000795	2STG2CF40-D-UNV-1/2-EB	2x2, (2) 40W TT5, Ribbed Opal Diffuser, Unv Electronic Ballast		✓	
782343096543	2STG228-DS-UNV-1/2-EB	2x4, (2) 28W T5, Smooth Opal Diffuser, Unv Electronic Ballast		✓	
734340134155	2STG228-D-UNV-1/2-EB	2x4, (2) 28W T5, Ribbed Opal Diffuser, Unv Electronic Ballast	✓		C,N
734340125047	2STG228-PMW-UNV-1/2-EB	2x4, (2) 28W T5, Round Perf Diffuser w/ White Overlay, Unv Electronic Ballast		✓	
782343202685	2STG232-DS-UNV-1/2-EB	2x4, (2) 32W T8, Smooth Opal Diffuser, Unv Electronic Ballast		✓	
782343395363	2STG232-DS-UNV-1/2-EB10R	2x4, (2) 32W T8, Smooth Opal Diffuser, Unv Electronic Ballast		✓	
781370982973	2STG232-D-UNV-1/2-EB	2x4, (2) 32W T8, Ribbed Opal Diffuser, Unv Electronic Ballast	✓		C,N
734340138313	2STG232-D-UNV-1/2-EB10R	2x4, (2) 32W T8, Ribbed Opal Diffuser, Unv Electronic Ballast		✓	
734340289107	2STG232-D-UNV-1/2-EBSD	2x4, (2) 32W T8, Ribbed Opal Diffuser, Unv Electronic Ballast	✓		C,N
734340239836	2STG232-PMW-UNV-1/2-EB10R	2x4, (2) 32W T8, Round Perf Diffuser w/ White Overlay, Unv Electronic Ballast		✓	

Troffer



SP Recessed with Flat Steel Door Frame

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370668433	2SPG217R-FS12-UNV-1/2-EB	2x2, (2) 17W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
781370793807	2SPG317R-FS12-UNV-1/3-EB	2x2, (3) 17W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
734340954579	2SPG232-FS12-UNV-1/2-EB	2x4, (2) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
782343339152	2SPG332-FS12-UNV-1/3-EB	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



SpecPlus Recessed with Flat Steel Door Frame

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343967089	SPS1GFSVA232UNVHI	1x4, (2) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
782343478967	SPS2GFSVI217UNVHI	2x2, (2) 17W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
782343469477	SPS2GFSVA2FT120SB QSW	2x2, (2) 40W TT5, Pattern 12 Prismatic Acrylic Lens, 120V Electronic Ballast	✓		C
782343478882	SPS2GFSVA317UNVH3	2x2, (3) 17W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
734340132939	SPS2GFSVI317UNVH3	2x2, (3) 17W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast		✓	
782343469552	SPS2GFSVA232UNVHI	2x4, (2) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast	✓		C,N
782343476994	SPS2GFSVI232UNVHI	2x4, (2) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast	✓		C,N
782343500767	SPS2GFSVA332UNVH3	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast	✓		C,N
734340150940	SPS2GFSVA332UNVH3EM	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast	✓		N
782343469514	SPS2GFSVI332UNVH3	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast	✓		C,N
782343968758	SPS2GFSVA432UNVH4	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Ballast	✓		C,N



Surface Modular with Flat Steel Door Frame

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340030617	2SMR23IU6-FS01-UNV-1/2-EB	2x2, (2) 31W U6 T8, Pattern 12 Prismatic Acrylic Lens, Unv Electronic Ballast		✓	
734340030631	2SMR332-FS01-UNV-1/3-EB	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Electronic Ballast		✓	



TG8 Recessed with Flat Steel Door Frame

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340607994	1TG232-01-UNV-1/2-EB	1x4, (2) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
781370989132	2TG8217R-01-UNV-1/2-EB	2x2, (2) 17W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast		✓	
781370943776	2TG8231U6R-01-UNV-1/2-EB	2x2, (2) 31W U6 T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
781370989149	2TG8317R-01-UNV-1/3-EB	2x2, (3) 17W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast		✓	
734340981889	2TG8232-01-UNV-1/2-EB •	2x4, (2) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
734340976526	2TG8332-01-UNV-1/21-EB •	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
734340976533	2TG8332-01-UNV-1/3-EB •	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
734340981896	2TG8332-01-UNV-1/3-EB-LPT735 •	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, w/735 lamps	✓		C,N,F
781370017293	2TG8332-01-UNV-1/3-EB101-LPT741 •	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, w/741 lamps	✓		C
734340976540	2TG8332-01-UNV-1/3-EB-F1-LPT735 •	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, 6' Flex, w/735 lamps	✓		C,F
782343338797	2TG8332-01-UNV-1/3-EB-F1-LPT741 •	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, 6' Flex, w/741 lamps	✓		C
734340996661	2TG8332-01-UNV-M11-1/42-EB	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, 11' Flex, Master Unit For Use w/ Satellite Unit		✓	
734340996678	2TG8332-01-000-S-X-1/42-EBIS	2x4, (3) 32W T8, Pattern 12 Prismatic Acrylic Lens, Satellite Unit For Use w/Master Unit		✓	
734340976595	2TG8432-01-UNV-1/4-EB •	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
734340996845	2TG8432-01-UNV-2/2-EB •	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Ballast	✓		C,N,F
734340981902	2TG8432-01-UNV-1/4-EB-LPT735 •	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, w/735 lamps	✓		C,N,F
734340981919	2TG8432-01-UNV-1/4-EB-LPT741 •	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, w/741 lamps	✓		C,N,F
734340976601	2TG8432-01-UNV-1/4-EB-F1-LPT735 •	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, 6' Flex, w/735 lamps	✓		C,F
734340976618	2TG8432-01-UNV-1/4-EB-F1-LPT741 •	2x4, (4) 32W T8, Pattern 12 Prismatic Acrylic Lens, Unv Elect. Blst, 6' Flex, w/741 lamps	✓		C
782343040713	TG8FS01D	2x4, Pattern 12 Prismatic Acrylic Lens Replacement	✓		C,N,F
782343297872	TG8FS01DL-5PK	2x4, Pattern 12 Prismatic Acrylic Lens Replacement, 5 Pack	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



T-Grid LED Recessed with Flat Steel Door Frame


48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78234333396	2TG30L835-2-FS-02F-UNV	2x2, 3000lm, 3500K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C, N
782343332696	2TG30L840-2-FS-02F-UNV	2x2, 3000lm, 4000K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C, N
782343333402	2TG38L835-2-FS-02F-UNV	2x2, 3800lm, 3500K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C,N,F
782343332719	2TG38L840-2-FS-02F-UNV	2x2, 3800lm, 4000K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C,N,F
782343331156	2TG32L835-4-FS-02F-UNV	2x4, 3200lm, 3500K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C, N
782343330142	2TG32L840-4-FS-02F-UNV	2x4, 3200lm, 4000K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C, N
782343332030	2TG43L835-4-FS-02F-UNV	2x4, 4300lm, 3500K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C, N
782343330425	2TG43L840-4-FS-02F-UNV	2x4, 4300lm, 4000K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C, N
782343332221	2TG48L835-4-FS-02F-UNV	2x4, 4800lm, 3500K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C,N,F
782343330432	2TG48L840-4-FS-02F-UNV	2x4, 4800lm, 4000K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C,N,F
782343332573	2TG54L835-4-FS-02F-UNV	2x4, 5400lm, 3500K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C,N,F
782343330524	2TG54L840-4-FS-02F-UNV	2x4, 5400lm, 4000K, Pattern 12 Prismatic Acrylic Lens, Universal Electronic Driver	✓		C,N,F

Recessed Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340775488	FMA14	1x4 Flange Mounting Frame Assembly For Recessed Fixtures	✓		C,N,F
734340775471	FMA22	2x2 Flange Mounting Frame Assembly For Recessed Fixtures	✓		C,N,F
734340775464	FMA24	2x4 Flange Mounting Frame Assembly For Recessed Fixtures	✓		C,N,F
782343501603	GCC	Grid Clip For Recessed Fixtures (4 each)	✓		F

Parabolic



LP3 Parabolic Recessed


UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370799342	1LP3GS232-26AL-UNV-1/2-EB	1x4, (2) 32W T8, 12 Cell Semi-Specular Louver, Unv Elect. Ballast		✓	
781370400361	2LP3GC217R-33AL-UNV-1/2-EB-ASC	2x2, (2) 17W T8, 9 Cell Semi-Specular Louver, Unv Elect. Ballast, Removable Air Slot Covers	✓		N
734340941807	2LP3GC231U6R-33AL-UNV-1/2-EB-ASC •	2x2, (2) 31W U6 T8, 9 Cell Semi-Specular Louver, Unv Elect. Ballast, Removable Air Slot Covers	✓		C,N,F
734340079876	2LP3GS231U6R-33AL-UNV-1/2-EB •	2x2, (2) 31W U6 T8, 9 Cell Semi-Specular Louver, Unv Elect. Ballast	✓		C,N,F
781370134709	2LP3GS232-26AL-UNV-1/2-EB	2x4, (2) 32W T8, 12 Cell Semi-Specular Louver, Unv Elect. Ballast	✓		N
782343231500	2LP3GC232-26AL-UNV-1/2-EB-ASC	2x4, (2) 32W T8, 12 Cell Semi-Specular Louver, Unv Elect. Ballast, Removable Air Slot Covers	✓		C
734340609196	2LP3GS232-36AL-UNV-1/2-EB10I	2x4, (2) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast		✓	
734340971729	2LP3GS332-36AL-UNV-1/21-EB •	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast	✓		C,N,F
734340608144	2LP3GC332-36AL-UNV-1/21-EB-ASC	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast, Removable Air Slot Covers	✓		N,F
734340728095	2LP3GS332-36AL-UNV-1/3-EB •	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast	✓		C,N,F
781370602666	2LP3GS332-36AL-UNV-1/3-EB10R	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast		✓	
734340608151	2LP3GC332-36AL-UNV-1/3-EB-ASC •	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast, Removable Air Slot Covers	✓		C,N,F
781370134808	2LP3GS332-36AL-UNV-1/3-EB-LPT735 •	2x4, (3) 32W T8, 18 Cell Semi-Spec. Louver, Unv Elect. Ballast, w/ 735 lamps	✓		C,F
781370200565	2LP3GS332-36AL-UNV-1/3-EB10I-LPT741 •	2x4, (3) 32W T8, 18 Cell Semi-Spec. Louver, Unv Elect. Ballast, w/741 lamps		✓	
734340985634	2LP3GS332-36AL-UNV-1/3-EB-F1-LPT735 •	2x4, (3) 32W T8, 18 Cell Semi-Spec. Louver, Unv Elect. Ballast, 6' Flex, w/735 lamps	✓		C,F
734340608175	2LP3GC332-36AL-UNV-1/3-EB-LPT735-ASC	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Unv Elect. Ballast, Removable Air Slot Covers, w/735 lamps		✓	
734340853544	2LP3GC332-36AL-UNV-M11-1/42-EB-ASC	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Removable Air Slot Covers, Unv Elect. Ballast, 11' Flex, Master Unit for use w/ Satellite Unit		✓	
734340439021	2LP3GC332-36AL-000-S-X-1/42-EBIS-ASC	2x4, (3) 32W T8, 18 Cell Semi-Specular Louver, Removable Air Slot Covers, Satellite Unit For Use w/ Master Unit		✓	
781370134822	2LP3GS432-48AL-UNV-1/4-EB	2x4, (4) 32W T8, 32 Cell Semi-Specular Louver, Unv Elect. Ballast		✓	
734340458824	LP336ALD	2x4, 18 Cell Semi-Specular Louver Replacement	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Linear

Linear

Linear Wall



Cubelite Wall Bracket

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340156201	CSW224UNVHIZO	2', 2 Lamp, 17W T8, White Housing, Opal Lens, Universal Electronic Ballast	✓		C
734340156225	CSW248UNVHIZO	4', 2 Lamp, 32W T8, White Housing, Opal Lens, Universal Electronic Ballast	✓		C

Wraparound



Caravel Wrap

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340608410	CAN232-UNV-1/2-EB	4', 2 Lamp, 32W T8, Narrow Housing, Universal Electronic Ballast	✓		C,N,F
734340608427	CAW332-UNV-1/21-EB	4', 3 Lamp, 32W T8, Wide Housing, Universal Electronic Ballast	✓		F
734340709353	CAW432-UNV-1/4-EB	4', 4 Lamp, 32W T8, Wide Housing, Universal Electronic Ballast	✓		C



OW Wrap

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340949810	OWN217-UNV-1/2-EB	2', 2 Lamp, 17W T8, Narrow Housing, Universal Electronic Ballast	✓		C,N,F
781370176341	OWN232-120-1/2-EB-RL	4', 2 Lamp, 32W T8, Narrow Housing, 120V Ballast For Residential Use Only		✓	
734340608281	OWN232-UNV-1/2-EB •	4', 2 Lamp, 32W T8, Narrow Housing, Universal Electronic Ballast	✓		C,N,F
734340608298	OWW432-UNV-1/4-EB •	4', 4 Lamp, 32W T8, Wide Housing, Universal Electronic Ballast	✓		C,N,F
734340608304	OWW432-UNV-2/2-EB	4', 4 Lamp, 32W T8, Wide Housing, Universal Electronic Ballast		✓	
734340608311	TOWN232-UNV-1/4-EB	8', 2 Lamp Tandem, 32W T8, Narrow Housing, Universal Electronic Ballast	✓		C,N,F
782343403662	OWL948-CS	Replacement Lens For OWN Wraparound	✓		C,N,F
782343403648	OWL1448-CS	Replacement Lens For OWW Wraparound	✓		C,N,F



OWL LED Wrap

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370048983	OWL230L840-UNV •	2', 3000lm, 4000K, Universal Electronic non-Dim Driver	✓		C,N,F
781370048990	OWL240L840-UNV-DIM	2', 4000lm, 4000K, Universal Electronic 0-10v Driver		✓	
781370049003	OWL440L840-UNV-DIM •	4', 4000lm, 4000K, Universal Electronic 0-10v Driver	✓		C,N,F
781370049010	OWL450L840-UNV-DIM	4', 5000lm, 4000K, Universal Electronic 0-10v Driver		✓	
781370049027	OWL470L840-UNV-DIM	4', 7000lm, 4000K, Universal Electronic 0-10v Driver		✓	
781370169015	OWL850L840-UNV-DIM	8', 10000lm, 4000K, Universal Electronic 0-10v Driver		✓	

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Undercabinet

Luminaire Smart
Service Guide
.....
Indoor/Outdoor
.....



CU/SL Valueline Undercabinet

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370412845	CU158A-120-EB-LP	18", 1 Lamp, 15W T8, 120V Electronic Ballast, w/ Lamp	✓		C,F
781370412838	CU17A-120-EB-LP	24", 1 Lamp, 17W T8, 120V Electronic Ballast, w/ Lamp	✓		C,F
734340101287	CU17A-UNV-EB-LP	24", 1 Lamp, 17W T8, Universal Electronic Ballast, w/ Lamp	✓		C
781370412821	CU25A-120-EB-LP	36", 1 Lamp, 25W T8, 120V Electronic Ballast, w/ Lamp	✓		C,F
734340101355	CU25A-UNV-EB-LP	36", 1 Lamp, 25W T8, Universal Electronic Ballast, w/ Lamp	✓		C
781370412814	CU32A-120-EB-LP	48", 1 Lamp, 32W T8, 120V Electronic Ballast, w/ Lamp	✓		C,F
734340101386	CU32A-UNV-EB-LP	48", 1 Lamp, 32W T8, Universal Electronic Ballast, w/ Lamp	✓		C
734340654745	SL18-120-EB-LP	12-1/4", 1 Lamp, 8W T5, 120V Electronic Ballast, w/ Lamp	✓		C,N,F
734340654677	SL113-120-EB-LP	21-1/4", 1 Lamp, 13W T5, 120V Electronic Ballast, w/ Lamp	✓		C,F
734340654752	SL28-120-EB-LP	24-1/2", 2 Lamp, 8W T5, 120V Electronic Ballast, w/ Lamps	✓		C,F
734340654943	SL281-120-EB-LP	33-1/2", 2 Lamp, 8W T5, 13W T5, 120V Electronic Ballast, w/ Lamps	✓		C,N,F
734340655520	SL213-120-EB-LP	42-1/2", 2 Lamp, 13W T5, 120V Electronic Ballast, w/ Lamps	✓		C,N,F

LINCS 100 LED Undercabinet

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
NA	LINCS100L28120WHG	LINCS LED Undercabinet 28", White, 525lm, 3500K, 17.5W, 120V		✓	C
NA	LINCS100L28277WHG	LINCS LED Undercabinet 28", White, 525lm, 3500K, 17.5W, 277V		✓	C
NA	LINCS100L19120WHG	LINCS LED Undercabinet 19", White, 347lm, 3500K, 12W, 120V		✓	C
NA	LINCS100L19277WHG	LINCS LED Undercabinet 19", White, 347lm, 3500K, 12W, 277V		✓	C
NA	LINCS100ICFW	12"-36" Flexible Coiled Interconnect Cord, White		✓	C
NA	LINCS100ICSW	6" Straight Interconnect Cord, White		✓	C
NA	LINCS100MSBRK	Mounting Brackets for Attachment to Metal Shelves (2 Brackets)		✓	C
NA	LINCS1001120WHG	LINCS100 Wiring Module, 120V, White		✓	C
NA	LINCS1001277WHG	LINCS100 Wiring Module, 277V, White		✓	C

Little Inch T5 Undercabinet

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
NA	HP116120WHG	Little Inch 24", White, 2 Lamp, 8W T5 Preheat, 120V		✓	C
NA	HP108120WHG	Little Inch 12", White, 1 Lamp, 8W T5 Preheat, 120V		✓	C
NA	HP213120WHG	Little Inch 48", White, 2 Lamp, 13W T5 Preheat, 120V		✓	C
NA	HP113120WHG	Little Inch 24", White, 1 Lamp, 13W T5 Preheat, 120V		✓	C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Strip



FluxStream LED Strip

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343937198	LF4104140ULAG	4', 4100lm, 4000K, 10% Frosted Lens, Universal Electronic Driver		✓	
782343942888	LF4FR3140ULAG	4', 3100lm, 4000K, 100% Frosted Lens, Universal Electronic Driver		✓	
782343909959	LF4FR3935ULAG	4', 3900lm, 3500K, 100% Frosted Lens, Universal Electronic Driver	✓		C
782343468463	LF4FR3935USZT	4', 3900lm, 3500K, 100% Frosted Lens, Universal Electronic Step Dimming Driver	✓		F
782343476901	LF4FR3935UDZT	4', 3900lm, 3500K, 100% Frosted Lens, Universal Electronic 0-10V Dimming Driver	✓		F
782343909973	LF4FR3940ULAG	4', 3900lm, 4000K, 100% Frosted Lens, Universal Electronic Driver	✓		C
781370148560	LF4FR3940USZT	4', 3900lm, 4000K, 100% Frosted Lens, Universal Electronic Step Dimming Driver	✓		F
782343970560	LF4FR3940UDZT	4', 3900lm, 4000K, 100% Frosted Lens, Universal Electronic 0-10V Dimming Driver	✓		F
782343477960	LF8104140ULAG	8', 8200lm, 4000K, 10% Frosted Lens, Universal Electronic Driver		✓	
781370074319	LF8FR3935ULAG	8', 7800lm, 3500K, 100% Frosted Lens, Universal Electronic Driver		✓	
782343947012	LFR4FLSLD3735ULAG	4', 3700lm, 3500K, Solid Reflector, Frosted Lens, Universal Electronic Driver		✓	
782343960844	LFR4FLSLD3740ULAG	4', 3700lm, 4000K, Solid Reflector, Frosted Lens, Universal Electronic Driver		✓	
7823439655399	LF8FR3940ULAG	8', 7800lm, 4000K, 100% Frost Lens, Universal Electronic Driver	✓		C
782343458518	LCFPL	Continuous Row Coupler - Fluxstream/SV T5 Strip	✓		C
782343978429	EE9HC	V-Hooks and 24" Chain (2) - Fluxstream/SV T5 Strip	✓		C
782343503836	SV5-CPL	Continuous Row Coupler - Fluxstream Reflector/SV5 T5 Strip Reflector		✓	C



FluxStream EZ LED Strip

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343978641	LF4EZ3830ULAG	4', 4000lm, 3000K, 100% Frost Lens, Universal Electronic Driver, Non-dimming	✓		C,N,F
782343978634	LF4EZ3840ULAG	4', 4000lm, 4000K, 100% Frost Lens, Universal Electronic Driver, Non-dimming	✓		C,N,F



N Narrow Strip

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340776171	N117-UNV-1/1-EB	Small Cross Section Strip, 2', 1 Lamp, 17W T8, Universal Electronic Ballast	✓		C,N,F
734340776188	N125-UNV-1/1-EB	Small Cross Section Strip, 3', 1 Lamp, 25W T8, Universal Electronic Ballast	✓		C,N,F
734340776195	N132-UNV-1/1-EB •	Small Cross Section Strip, 4', 1 Lamp, 32W T8, Universal Electronic Ballast	✓		C,N,F
734340752571	TN132-UNV-1/2-EB	Small Cross Section Strip, 8', 1 Lamp Tandem, 32W T8, Universal Electronic Ballast	✓		C
782343182703	NL120-120	Small Cross Section Strip, 2', 1 Lamp, 20W T12, 120V Low Power Factor Ballast	✓		C

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

SV Narrow Strip T5

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343968789	SV4S128UNVPG	T5 Strip, 4', 1 Lamp, 28W T5, Universal Electronic Ballast	✓		C
782343968796	SV4S154UNVPG	T5 Strip, 4', 1 Lamp, 54W T5HO, Universal Electronic Ballast	✓		C
782343980309	SV4S228UNVPG	T5 Strip, 4', 2 Lamp, 28W T5, Universal Electronic Ballast	✓		C
782343465899	SV4S254UNVPG	T5 Strip, 4', 2 Lamp, 54W T5HO, Universal Electronic Ballast	✓		C
782343458518	LFCPL	Continuous Row Coupler - Fluxstream/SV T5 Strip	✓		C
782343978429	EE9HC	V-Hooks and 24" Chain (2) - Fluxstream/SV T5 Strip	✓		C
782343503836	SV5-CPL	Continuous Row Coupler - Fluxstream Reflector/SV5 T5 Strip Reflector		✓	C



SSR Staggered Strip

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370140014	SSR232-UNV-1/2-EB10I	Staggered Strip, 51", 2 Lamp, 32W T8, Universal Electronic Ballast	✓		C



T Standard Strip

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340776201	T217-UNV-1/2-EB	Standard Strip, 2', 2 Lamp, 17W T8, Universal Electronic Ballast	✓		C,F
734340776218	T225-UNV-1/2-EB	Standard Strip, 3', 2 Lamp, 25W T8, Universal Electronic Ballast	✓		C,F
734340826272	T132-UNV-1/1-EB	Standard Strip, 4', 1 Lamp, 32W T8, Universal Electronic Ballast	✓		C,N,F
781370497842	T232-120-1/2-EB-RL	Standard Strip, 4', 2 Lamp, 32W T8, 120V Ballast For Residential Use Only	✓		F
734340608328	T232-UNV-1/2-EB •	Standard Strip, 4', 2 Lamp, 32W T8, Universal Electronic Ballast	✓		C,N,F
734340698688	T259-UNV-1/2-EB •	Standard Strip, 8', 2 Lamp, 59W T8, Universal Electronic Ballast	✓		C,N,F
782343100998	T296-120-1/2-EB	Standard Strip, 8', 2 Lamp, 75W T12 Slimline, 120V Electronic Ballast	✓		C,N,F
734340608335	TT132-UNV-1/2-EB	Standard Strip, 8', 1 Lamp Tandem, 32W T8, Universal Electronic Ballast	✓		C
734340608342	TT232-UNV-1/4-EB •	Standard Strip, 8', 2 Lamp Tandem, 32W T8, Universal Electronic Ballast	✓		C,N,F

Belmont Surface Fluorescent

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343941904	BE1W232UNVHI	Belmont 1x4 Chassis, 2 Lamp, 32W T8, 120-277V, White	✓		C
782343941935	BESF1X4	Belmont 1x4 Spill Frame Diffuser, White	✓		C
782343950043	10325	Belmont Cloud 1x4 Diffuser		✓	C
782343950036	10324	Belmont I 1x4 Diffuser		✓	C
782343950050	10326	Belmont II 1x4 Diffuser		✓	C
782343941928	BE2W432UNVH4	Belmont 2x4 Chassis, 4 Lamp, 32W T8, 120-277V, White	✓		C
782343941959	BESF2X4	Belmont 2x4 Spill Frame Diffuser, White	✓		C
782343950081	10327	Belmont Cloud 2x4 Diffuser		✓	C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Strip & Industrial Accessories

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343300244	CS-24	Straight Stem, 3/8" Trade Size, 24" Length	✓		C,F
782343300367	CS-36	Straight Stem, 3/8" Trade Size, 36" Length	✓		C
782343300480	CS-48	Straight Stem, 3/8" Trade Size, 48" Length	✓		C,F
782343297803	CS-400	Rigid Canopy, Use w/ 3/8" Straight Stem	✓		C
782343297902	CS-500	42 Deg. Top Swivel Canopy, Use w/ 3/8" Straight Stem	✓		C,F
782343296103	CGS-4	Wire Guard, Use w/ 4' N Strip	✓		C,N,F
782343296059	CG-4	Wire Guard, Use w/ 4' T Strip, TH Strip	✓		C,N,F
782343608647	DSP-1R	Distributor Fluorescent Parts Service Pack	✓		C,N,F
782343296905	FL-111	Sliding Hanger, Use w/ Strips or Industrials	✓		C
782343299708	FL-123	5' Chain & "S" Hooks, Use w/ Strips or Industrials	✓		C
782343403464	TAR-4	4' Asymmetric Reflector For Standard T Strip	✓		C
782343810002	TSR-4	4' Symmetric Reflector For Standard T Strip	✓		C

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Industrial

Industrial



HBO/HBE High Bay

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340394634	HBO250PMT-PSC-OR	Die Cast High Bay Housing, 250W Pulse Start MH, Multi-Tap Ballast		✓	
734340394122	HBO320PMT-PSC-OR	Die Cast High Bay Housing, 320W Pulse Start MH, Multi-Tap Ballast		✓	
734340703603	HBO400PMT-PSC-OR •	Die Cast High Bay Housing, 400W Pulse Start MH, Multi-Tap Ballast	✓		C
734340703610	HBO400PMT-PSC-Q-OR	Die Cast High Bay Housing, 400W Pulse Start MH, Multi-Tap Ballast, Quartz Standby Option		✓	
734340366037	HBO400PMT-AL15-PSC-LP-OR-UP	Die Cast High Bay Housing, 400W Pulse Start MH, Multi-Tap Ballast, 15" Aluminum Reflector, Lamp Included, Unit Pack		✓	
734340330984	HBO10XMMT-OR	Die Cast High Bay Housing, 1000W MH, Multi-Tap Ballast		✓	
734340402087	AL15 •	Economy 15" Aluminum High Bay Reflector, Use w/ HBO High Bay	✓		C,N,F
782343174609	A16	16" Aluminum High Bay Reflector, Use w/ HBO High Bay, 450W Max	✓		C
782343174623	A17	17" Aluminum High Bay Reflector, Use w/ HBO High Bay, 450W Max		✓	
782343957462	16/17BE	Bottom Glass Enclosure, Use w/ A16 and A17 Aluminum High Bay Reflectors	✓		C
782343174647	A24	24" Aluminum High Bay Reflector, Use w/ HBO High Bay	✓		C
734340172102	24BE	Bottom Glass Enclosure, Use w/ A24 Aluminum High Bay Reflector	✓		C
782343174890	AR16	16" Acrylic High Bay Reflector, Use w/ HBO High Bay, 450W Max		✓	
781370265755	AR19	19" Acrylic High Bay Reflector, Use w/ HBO High Bay, 450W Max		✓	
782343356012	AR22	22" Acrylic High Bay Reflector, Use w/ HBO High Bay, 450W Max	✓		C
782343174944	AR25	25" Acrylic High Bay Reflector, Use w/ HBO High Bay		✓	



Low Bay Reflector

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340014884	LR23 •	23" Low Bay Optical Assembly, Use w/ HBO High Bay	✓		C,N,F
734340365177	LR28	28" Low Bay Optical Assembly, Use w/ HBO High Bay		✓	



LBD/LBN Low Bay

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343589526	LBN400PMT-PSC-OR	Specification Grade Low Bay Housing, 400W Pulse Start MH, Multi-Tap Ballast	✓		C
782343184752	BRA/CRA	Specification Grade 28" Low Bay Optical Assembly, Use w/ LBN Low Bay	✓		C



LLB Low Bay

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343549131	LLB250PMT-PSC-OR	Specification Grade Low Bay Housing, 250W Pulse Start MH, Multi-Tap Ballast		✓	
782343184905	LRA	Specification Grade 20" Low Bay Optical Assembly, Use w/ LLB Low Bay		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.


Product information may change without notice. Contact your local Philips sales representative for additional product information.



LED Dock Light

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340130249	ID5L32-120	Led Dock Light, 15 Watts, 32" Arm, Toggle Switch, 6' Cord And Plug, 120 V	✓		C



Incandescent Dock Light

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340081749	ID1K42-120	Incandescent Dock Light, Up To 300W, 42" Arm, Toggle Switch, 4' Cord & Plug, 120V		✓	

Industrial linear



IA/IS All-Purpose Industrial

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340608229	IA232-UNV-1/2-EB	Uplight Reflector, 4', 2 Lamp, 32W T8, Universal Electronic Ballast	✓		C
734340608243	IS232-UNV-1/2-EB •	Solid Top Reflector, 4', 2 Lamp, 32W T8, Universal Electronic Ballast	✓		C,N,F
734340028409	IS286HO-UNV-1/2-EB	Solid Top Reflector, 8', 2 Lamp, 86W T8 380mA, Universal Electronic Ballast		✓	
734340608236	TIA232-UNV-1/4-EB	Uplight Reflector, 8', 2 Lamp Tandem, 32W T8, Universal Electronic Ballast	✓		C
734340608250	TIS232-UNV-1/4-EB •	Solid Top Reflector, 8', 2 Lamp Tandem, 32W T8, Universal Electronic Ballast	✓		C,N,F
782343184103	FKR-126	Chain Hanger Set, (2) 5" Chains & "V" Hooks, Use w/ IA Industrial, IS Industrial, T Strips	✓		C,N,F
782343259009	FKR-173	Wire Guard, Use w/ IA Industrial, IS Industrial	✓		C,N,F
734340823424	IS-4R-CS	4' Solid Top Reflector For IS Industrial	✓		C



1FD General Purpose Industrial

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370747091	1FD228-PP-UNV-1/2-EB	10% Uplight, 4', 2 Lamp, 28W T5, Painted Reflector, Universal Electronic Ballast	✓		C
782343291238	1FD232-PP-UNV-1/2-EB	10% Uplight, 4', 2 Lamp, 32W T8, Painted Reflector, Universal Electronic Ballast		✓	



1F Specification Industrial

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343241295	1F232-PP-UNV-1/2-EB	10% Uplight, 4', 2 Lamp, 32W T8, Painted Reflector, Universal Electronic Ballast	✓		C
734340935455	1F332-PP-UNV-1/3-EB	10% Uplight, 4', 3 Lamp, 32W T8, Painted Reflector, Universal Electronic Ballast	✓		C,F
782343296202	FL-173	Wire Guard, Use w/ 1F Industrial, 2F Industrial, 1FD Industrial	✓		C,N

FBX LED High Bay

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370009946	FBX16LL40-UNV	Led High Bay, 16,000lm, 4000K, Universal Electronic Driver	✓		C
782343066874	FBX24LL40-UNV	Led High Bay, 24,000lm, 4000K, Universal Electronic Driver	✓		C
782343142394	FBX CHAIN KIT	54" Chain/Hanger Kit, Use w/ FBX High High Bays	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



FBD Fluorescent High Bay

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343199558	FBD454HO-UNV-1/4-EB-2LS •	4 Lamp, 54W T5HO, Universal Electronic Ballast, Two Level Switching Option	✓		C,N,F
782343393406	FBD632-UNV-1/42-EB •	6 Lamp, 32W T8, Universal Electronic Ballast, Two Level Switching Option	✓		C,N,F
782343366097	FBD632-UNV-1/42-EBH	6 Lamp, 32W T8, Univ Elect. High Ballast Factor Ballast, Two Level Switching Option	✓		C
782343264003	FBD654HO-UNV-1/42-EB •	6 Lamp, 54W T5HO, Universal Electronic Ballast, Two Level Switching Option	✓		C,N,F
782343829615	FBD-4E-1W	Door Frame and Clear Lens Assembly, Use w/ 4 Lamp FBD High Bay	✓		C,N
782343829653	FBD-6E-1W	Door Frame and Clear Lens Assembly, Use w/ 6 Lamp FBD High Bay	✓		C,N
782343829592	WG-FBD4	Wire Guard, Use w/ 4 Lamp FBD	✓		C,N
782343829608	WG-FBD6	Wire Guard, Use w/ 6 Lamp FBD	✓		C,N
781370531225	FBF/FBE CHAIN KIT •	54" Chain/Hanger Kit, Use w/ FBD or FBF High Bays	✓		C,N,F
781370899813	FBF/FBE-GRIP5	5' Gripple Hanger Kit, Use w/ FBD or FBF High Bays	✓		C
781370988838	FBF/FBE-GRIP10	10' Gripple Hanger Kit, Use w/ FBD or FBF High Bays		✓	



FBF Fluorescent High Bay

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
781370809348	FBF454HO-UNV-1/4-EB-2LS-U	4 Lamp, 54W T5HO, Universal Electronic Ballast, Two Level Switching Option, Uplight Option	✓		C
781370550103	FBF654HO-UNV-1/42-EB-U	6 Lamp, 32W T8, Universal Electronic Ballast, Two Level Switching Option, Uplight Option	✓		C
781370531225	FBF/FBE CHAIN KIT •	54" Chain/Hanger Kit, Use w/ FBD or FBF High Bays	✓		C,N,F
781370899813	FBF/FBE-GRIP5	5' Gripple Hanger Kit, Use w/ FBD or FBF High Bays	✓		C
781370988838	FBF/FBE-GRIP10	10' Gripple Hanger Kit, Use w/ FBD or FBF High Bays	✓	✓	
781370476618	FBF-4E-1W	Door Frame and Clear Lens Assembly, Use w/ 4 Lamp FBF High Bay	✓		C
781370476632	FBF-6E-1W	Door Frame and Clear Lens Assembly, Use w/ 6 Lamp FBF High Bay	✓		C
781370460723	WG-FBF4	Wire Guard, Use w/ 4 Lamp FBF High Bay	✓		C
781370460730	WG-FBF6	Wire Guard, Use w/ 6 Lamp FBF High Bay	✓		C



Vaporlume LED

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
782343494479	DWAE27L840-2-UNV	Wet Location Industrial, High Impact Acrylic Lens, Plastic Latches, 2', 2700lm, 4000K, Universal Electronic Driver	✓		C
782343500699	DWAE51L840-4-UNV	Wet Location Industrial, High Impact Acrylic Lens, Plastic Latches, 4', 5100lm, 4000K, Universal Electronic Driver	✓		C
782343488362	DWAE65L840-4-UNV	Wet Location Industrial, High Impact Acrylic Lens, Plastic Latches, 4', 6500lm, 4000K, Universal Electronic Driver	✓		C,N



Vaporlume

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340608267	DWAE232-UNV-1/2-EB •	Wet Location Industrial, High Impact Acrylic Lens, Plastic Latches, 4', 2 Lamp, 32W T8, Universal Electronic Ballast	✓		C,N,F
734340608274	TDWAE232-UNV-1/4-EB	Wet Location Industrial, High Impact Acrylic Lens, Plastic Latches, 8', 2 Lamp Tandem, 32W T8, Universal Electronic Ballast	✓		C,N,F
734340374599	TBK	Top Bracket Kit For V2/DW Industrial	✓		C,F
734340374667	V2/DW-4ARL-CS	4' Replacement Acrylic Lens For DWAE Industrial	✓		C
734340374704	V2/DW-8ARL	8' Replacement Acrylic Lens For DWAE Industrial	✓		C
781370485887	WBK	Wall Bracket for V2/DW Vaporlume	✓		C, N

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Exit/Emergency

Exit/Emergency

Exit signs



44R Line Edge-Lit

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340234114	44RL1R	Surface Mount, AC Only, Single Face, Red Letters, Clear Background, Satin Aluminum Housing	✓		C,F
734340234121	44RL2R	Surface Mount, AC Only, Double Face, Red Letters, Mirror Background, Satin Aluminum Housing	✓		C,F
734340234497	44RLU1R •	Universal Mount, AC Only, Single Face, Red Letters, Clear Background, Satin Aluminum Housing	✓		C,N,F
734340234503	44RLU2R •	Universal Mount, AC Only, Double Face, Red Letters, Mirror Background, Satin Alum. Housing	✓		C,N,F
734340453713	ER44RL1R	Surface Mount, Emergency Operation Nicad Battery, Single Face, Red Letters, Clear Background, Satin Aluminum Housing	✓		C,F
734340234404	ER44RLDU1G •	Universal Mount, Emergency Operation Nicad Battery, Single Face, Green Letters, Clear Background, Satin Aluminum Housing	✓		C,F
734340234367	ER44RLDU1R •	Universal Mount, Emergency Operation Nicad Battery, Single Face, Red Letters, Clear Background, Satin Aluminum Housing	✓		C,N,F
782343026397	ER44RLDU1RM	Universal Mount, Emergency Operation Nicad Battery, Single Face, Red Letters, Mirror Background, Satin Aluminum Housing	✓		C,F
734340234466	ER44RLDU1WG	Universal Mount, Emergency Operation Nicad Battery, Single Face, Green Letters, Clear Background, White Housing	✓		C,F
734340234442	ER44RLDU1WR	Universal Mount, Emergency Operation Nicad Battery, Single Face, Red Letters, Clear Background, White Housing	✓		C,F
734340234411	ER44RLDU2G •	Universal Mount, Emergency Operation Nicad Battery, Double Face, Green Letters, Mirror Background, Satin Aluminum Housing	✓		C,F
734340234374	ER44RLDU2R •	Universal Mount, Emergency Operation Nicad Battery, Double Face, Red Letters, Mirror Background, Satin Aluminum Housing	✓		C,N,F
734340234473	ER44RLDU2WG	Universal Mount, Emergency Operation Nicad Battery, Double Face, Green Letters, Mirror Background, White Housing	✓		C,F
734340234459	ER44RLDU2WR	Universal Mount, Emergency Operation Nicad Battery, Double Face, Red Letters, Mirror Background, White Housing	✓		C,F



45V Line Edge-Lit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
781370614928	BB45VL	Back Box Rough In Section, AC Only	✓		C,F
781370518127	BBER45VXL	Back Box Rough In Section, Emergency Operation Nicad Battery	✓		C,F
781370614966	T45VL2RMLR	Trim and Panel, Ceiling Mount, AC Only, Double Face, Red Letters, Left or Right Directional Chevron, Mirror Background, Satin Aluminum Housing	✓		C
781370518059	TER45VXL1GC	Trim and Panel, Ceiling Mount, Emergency Operation Nicad Battery, Single Face, Green Letters, Clear Background, Satin Aluminum Housing	✓		C
781370518042	TER45VXL1RC	Trim and Panel, Ceiling Mount, Emergency Operation Nicad Battery, Single Face, Red Letters, Clear Background, Satin Aluminum Housing	✓		C
781370614980	TER45VX-L2GMLR	Trim and Panel, Ceiling Mount, Emergency Operation Nicad Battery, Double Face, Green Letters, Left or Right Directional Chevron, Mirror Background, Satin Aluminum Housing	✓		C,F



46 Line Die Cast - Thin Profile

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343843239	46L1R	Universal Mount, AC Only, Single Face, Red Letters, Black Housing w/ Satin Aluminum Face		✓	
782343843246	46L2R	Universal Mount, AC Only, Double Face, Red Letters, Black Housing w/ Satin Aluminum Face		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



55 Line Die Cast Contemporary

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343842546	55L3G	Universal Mount, AC Only, Single/Double Face, Green Letters, Black Housing w/ Satin Aluminum Housing	✓		F
781370104085	55L3R •	Universal Mount, AC Only, Single/Double Face, Red Letters, Black Housing w/ Satin Aluminum Housing	✓		C,N,F
781370104092	55L3WG	Universal Mount, AC Only, Single/Double Face, Green Letters, White Housing	✓		C,F
782343390580	55L3WR •	Universal Mount, AC Only, Single/Double Face, Red Letters, White Housing	✓		C,N,F
781370104054	ER55L3G •	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Green Letters, Black Housing w/ Satin Aluminum Face	✓		C,F
781370104047	ER55L3R •	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Red Letters, Black Housing w/ Satin Aluminum Face	✓		C,N,F
781370104078	ER55L3WG	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Green Letters, White Housing	✓		C,F
781370621698	ER55L3WR •	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Red Letters, White Housing	✓		C,F
781370410100	ER55LD3G	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Green Letters, Black Housing w/ Satin Aluminum Face	✓		F
781370410094	ER55LD3R	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Red Letters, Black Housing w/ Satin Aluminum Face	✓		C,F
781370410117	ER55LD3WR	Universal Mount, Emergency Operation Nicad Battery, Single/Double Face, Red Letters, White Housing	✓		C,F



60 Line Wet Location

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
781370995416	60MLA3RW	Universal Mount, AC Only, Single Face w/Extra Faceplate, Red Letters, White Housing, White Face Plate	✓		C
781370921309	ER60ML-D3RW	Universal Mount, Emergency Operation Nicad Battery, Single Face w/Extra Faceplate, Red Letters, White Housing, White Face Plate	✓		C
781370921286	ER60ML-D3RB	Universal Mount, Emergency Operation Nicad Battery, Single Face w/Extra Faceplate, Red Letters, Black Housing, Black Face Plate	✓		C



Compac Exit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340011388	CXL3GW	Universal Mount, AC Only, Green Letters, White Thermoplastic Housing	✓		C,N,F
734340011326	CXL3RW	Universal Mount, AC Only, Red Letters, White Thermoplastic Housing	✓		F
734340753301	CXXL3GW	Universal Mount, Emergency Operation Nicad Battery, Green Letters, White Thermoplastic Hsg	✓		C,N,F
734340753264	CXXL3RW	Universal Mount, Emergency Operation Nicad Battery, Red Letters, White Thermoplastic Housing	✓		C,N,F
782343034330	CXL6VBXT	Battery, Use w/ CXL Compac LED Exit		✓	
782343038956	CXXLT	Transformer, Use w/ CXX Compac LED Exit		✓	



Value+ Exit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343263020	VEGW •	Universal Mount, AC Only, Green Letters, White Thermoplastic Housing	✓		C,N,F
782343263006	VERW •	Universal Mount, AC Only, Red Letters, White Thermoplastic Housing	✓		C,N,F
782343263044	VEGWEM •	Universal Mount, Emergency Operation Nicad Battery, Green Letters, White Thermoplastic Hsg	✓		C,N,F
782343263037	VERWEM •	Universal Mount, Emergency Operation Nicad Battery, Red Letters, White Thermoplastic Housing	✓		C,N,F
781370104122	VERBEM	Universal Mount, Emergency Operation Nicad Battery, Red Letters, Black Thermoplastic Housing	✓		C,F
781370414511	VERWEMSD	Universal Mount, Emergency Operation Nicad Battery, Red Letters, White Thermoplastic Housing, Self-Diagnostic Circuitry	✓		C,F
781370213190	VRERWEM •	Universal Mount, Emergency Operation Lead Acid Battery, Red Letters, White Thermoplastic Housing, Remote Capability	✓		C,N,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Emergency Commercial



Compac CCAX Combo Unit

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340753325	CCAXL1RW	Semi-Recessed Lamp Heads, 6V 6W MR16 Lamps, Single Face, Red Letters, White Thermoplastic Housing	✓		C,F
734340754018	CCAXL3GW	Semi-Recessed Lamp Heads, 6V 6W MR16 Lamps, Universal Mount Double Face, Green Letters, White Thermoplastic Housing	✓		F
734340753356	CCAXL3RW	Semi-Recessed Lamp Heads, 6V 6W MR16 Lamps, Universal Mount Double Face, Red Letters, White Thermoplastic Housing	✓		C,N,F



Compac CCTX Combo Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340753370	CCTXL3RW	Semi-Recessed Lamp Heads, 6V 5.4W Tungsten Lamps, Universal Mount Double Face, Red Letters, White Thermoplastic Housing	✓		C,F



VALUE+ II VCT Combo

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343753613	VCTL3GW •	6V 5.4W Tungsten Lamps, Universal Mount, Green Letters, White Thermoplastic Housing, Remote Capability		✓	
782343753606	VCTL3RW •	6V 5.4W Tungsten Lamps, Universal Mount, Red Letters, White Thermoplastic Housing, Remote Capability	✓		C,N,F



VALUE+ VC Combo

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343262993	VCGW •	Unit, 6V 5.4W Tungsten Lamps, Universal Mount, Green Letters, White Thermoplastic Housing, Remote Capability	✓		C,N,F
781370104153	VCRB	Unit, 6V 5.4W Tungsten Lamps, Universal Mount, Red Letters, Black Thermoplastic Housing, Remote Capability	✓		C,F
782343262986	VCRW •	Unit, 6V 5.4W Tungsten Lamps, Universal Mount, Red Letters, White Thermoplastic Housing, Remote Capability	✓		C,N,F
734340325591	VCGWLRC	Unit, 6V 5.4W Tungsten Lamps, Universal Mount, Green Letters, White Thermoplastic Housing	✓		C,F
781370908478	VCRWLRC •	Unit, 6V 5.4W Tungsten Lamps, Universal Mount, Red Letters, White Thermoplastic Housing	✓		C,N,F



VALUE+ VCL Combo

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343744314	VCLRW	Unit, LED, Universal Mount, Red Letters, White Thermoplastic Housing, Remote Capability	✓		C,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



VALUE+ VCLA Combo

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343842430	VCLANGW	Unit, LED, Universal Mount, Green Letters, White Thermoplastic Housing, Remote Capability	✓		C,F
782343842423	VCLANRW	Unit, LED, Universal Mount, Red Letters, White Thermoplastic Housing, Remote Capability	✓		C,F



Compac CFX Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
781370779757	CFX6	Fixed Lens, White Thermoplastic Housing, Lead Acid Battery, 6V 5W MR11 Lamps	✓		C,F



Compac CTX Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
781370779771	CTX6	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps	✓		C,F
781370779818	CTX618	White Thermoplastic Housing, Lead Acid Battery, 6V 9W Tungsten Lamps	✓		C,F
781370779795	CTX6H	White Thermoplastic Housing, Lead Acid Battery, 6V 6W Halogen Lamps	✓		C,F
734340611410	CTX6L12WCSWA	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps	✓		C,F
734340611458	CTX6L18WCSWC	White Thermoplastic Housing, Lead Acid Battery, 6V 9W Tungsten Lamps	✓		C,N,F
734340611540	CTX6L24WCSWF	White Thermoplastic Housing, Lead Acid Battery, 6V 12W Halogen Lamps	✓		F



Compac CAX Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340753226	CAX6	Semi-Recessed Lamp Heads, White Thermoplastic Housing, Lead Acid Battery, 6V 6W MR16 lamps	✓		C,F
734340753240	CAX6H	Semi-Recessed Lamp Heads, White Thermoplastic Housing, Lead Acid Battery, 6V 8W MR16 lamps	✓		C,N,F
781370380120	CAX6L24W12	Semi-Recessed Lamp Heads, White Thermoplastic Housing, Lead Acid Battery, 6V 12W MR16 lamps	✓		F
782343137499	CAX6LAMP	Replacement Lamp for Emergency Units w/ Semi-Recessed Lamp Heads, 6V 8W MR16 lamp	✓		F



VALUE+ II VF Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343753644	VF6 •	Fixed Lens, White Thermoplastic Housing, Lead Acid Battery, 6V 5W MR11 Lamps	✓		C,N,F



VALUE+ II VA Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343753651	VA6 •	Semi-Recessed Lamp Heads, White Thermoplastic Housing, Lead Acid Battery, 6V 6W MR16 lamps	✓		C,N,F



VALUE+ II VT Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343753675	VT618 •	White Thermoplastic Housing, Lead Acid Battery, 6V 9W Tungsten Lamps	✓		C,N,F
782343753767	VTR12L54WCSWM	White Thermoplastic Housing, Lead Acid Battery, 12V 12W Halogen Lamps	✓		C,F

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



VALUE+ VU6L Unit

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343573716	VU6L	White Thermoplastic Housing, Lead Acid Battery, 6V 1W LEDs	✓		C,F
782343582619	VU6LSD	White Thermoplastic Housing, Lead Acid Battery, 6V 1W LEDs, Self-Diagnostic Circuitry	✓		C,F



VALUE+ VU6F Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343579749	VU6F •	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps	✓		C,F



VALUE+ VU6 Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343558386	VU6-CS •	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps	✓		C,N,F
782343558393	VU6B-CS	Black Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps	✓		C,F
782343582626	VU6SD	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps, Self-Diagnostic Circuitry	✓		C,F
782343116920	VU6R	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps, Remote Capability	✓		C,F



VALUE+ VU Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343579770	VU650	White Thermoplastic Housing, Lead Acid Battery, 6V 9W Tungsten Lamps, Remote Capability	✓		C,F



VALUE+ VU6W Unit

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343116968	VU6W	White Thermoplastic Housing, Lead Acid Battery, 6V 5.4W Tungsten Lamps, Wet Location	✓		C,F
782343116999	VWRHP	Value+ Emergency Remote Single Lamp Head, White Thermoplastic Housing, 6V 5.4W Tungsten Lamp, Wet Location, For Use w/ VU6 Units	✓		C,F
782343117002	VW2RHP	Value+ Emergency Remote Double Lamp Head, White Thermoplastic Housing, 6V 5.4W Tungsten Lamp, Wet Location, For Use w/ VU6 Units	✓		C,F

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Emergency Architectural

Luminaire Smart
Service Guide
.....
Indoor/Outdoor
.....



Emergency Remote Fixtures & Accessories

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340592573	CCRHP •	Weatherproof Remote Metal Chrome Lamp Head, 6V 6W Halogen Lamp	✓		C,N,F
782343833162	SMR10WG	Symmetry Remote Dual Lamp, 6V 5.4W Tungsten	✓		C
734340115352	WG4	Wire Guard		✓	
734340085648	WG5	Wire Guard		✓	



Patron LED Wall Light

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343573235	PLACEMBZ	Wall Light, Die Cast Aluminum Bronze Housing, AC 120/277V w/ Integral Nicad Battery Backup, 6V 8-3W LEDs	✓		C,F
782343522431	PLEMBZ	Wall Light, Die Cast Aluminum Bronze Housing, Nicad Battery, 6V 8-3W LEDs	✓		C,F



Patron Wall Light

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
781370379858	PDNBZ •	Die Cast Aluminum Bronze Housing, Nicad Battery, 6V 6W, Halogen Lamp	✓		C,N,F



MSL Mini Step Lite

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340107807	MSLL	White LED, White Universal Louver Faceplates (Vertical and Horizontal), 120VAC	✓		C,F

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Emergency Ballasts



DEB Series – Emergency Ballast

48 Hours 2 Weeks

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
734340643596	DEB-1W •	Emergency Ballast, 350–450lm, One Lamp Operation, Fluorescent	✓		C,N,F
734340624021	DEB-5W •	Emergency Ballast, 1100–1400lm, One or Two Lamp Operation, Fluorescent	✓		C,N,F
734340602395	DEB-7LP	Emergency Ballast, 390–700lm, One Lamp Operation, Low Profile, Fluorescent	✓		F
782343823422	DEB-7W •	Emergency Ballast, 600–700lm, One or Two Lamp Operation, Fluorescent	✓		C,N,F



MTD Series – Transfer Device

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
781370584191	MTD	Auxiliary Power Transfer Device (Internal Luminaire Mounted)	✓		C
781370988821	MTD20-277	Auxiliary Power Transfer Device 277V (Wall or Ceiling Mounted)	✓		C

New York City Products



New York City Approved

UPC Code	Catalog No.	Description	Service Smart	Spec Smart	Stocked In
782343568231	44RLU1RNYC	NYC Universal Edge Lit LED Exit, Universal Mount, AC Only, Single Face, 8" Red Letters, Clear Background, Satin Aluminum Housing	✓		C,N
782343568248	44RLU2RNYC	NYC Universal Edge Lit LED Exit, Universal Mount, AC Only, Double Face, Red Letters, Mirror Background, Satin Aluminum Housing	✓		C
782343568262	ER44RLDU2RNYC	NYC Universal Edge Lit LED Exit, Universal Mount, Emergency Operation Nicad Battery, Double Face, 8" Red Letters, Mirror Background, Satin Aluminum Housing	✓		C,N

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Outdoor



In addition to the Service Smart & Spec Smart outdoor luminaires that are covered on the following pages, we do offer standard lead-time and custom made-to-order products. Lead-time for many standard products is 6 weeks, but all lead-times can be confirmed by contacting the order desk.

Some of our products, such as the Urban category, do not offer Service Smart and Spec Smart items, and thus, are not included on the following pages. The Urban Product Category includes decorative post top and pendant style products, poles, arms, accessories & bases, and while some of these high-runner items may be available to ship in 6 weeks, it is always advised that you check with the order desk to confirm these lead-times. For additional details on the Urban Products, and other luminaires not included in this guide, you may refer to our e-catalog at www.philips.com/luminaires.



The following Roadway exceptions will require lead times beyond 6 weeks:
Capella CPLS & CPLM, Citea CTS & CTM, Off Road RVM & HBM ORL & ORH,
Roadway Poles & Arms / Brackets, High Mast STB-25 & SMLS G2.

Please confirm lead-time by contacting the order desk.

Roadway

LED Cobra Heads



StreetView

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	SVM-60W32LED4K-R-LE3-UNIV-DMG-RC-WC10-GY3 •	70W Total, 700mA, 32LED, 6924lm, 97LPW, 4000K, Type III, Universal Electronic Dimmable Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	SVM-90W48LED4K-R-LE3-UNIV-DMG-RC-WC10-GY3 •	105W Total, 700mA, 48LED, 10113lm, 98LPW, 4000K, Type III, Universal Electronic Dimmable Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	



RoadView

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	RVS-35W32LED4K-R-LE2-UNIV-RC-GY3	37W Total, 350mA, 32LED, 3670lm, 99LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RVS-35W32LED4K-R-LE2-UNIV-PH8-GY3	37W Total, 350mA, 32LED, 3670lm, 99LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Included, Grey Finish		✓	
---	RVS-55W32LED4K-R-LE2-UNIV-RC-GY3 •	56W Total, 530mA, 32LED, 5303lm, 95LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RVS-55W32LED4K-R-LE2-UNIV-PH8-GY3	56W Total, 530mA, 32LED, 5303lm, 95LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Included, Grey Finish		✓	
---	RVS-80W48LED4K-R-LE2-UNIV-RC-GY3 •	81W Total, 530mA, 48LED, 7903lm, 98LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RVM-270W160LED4K-R-LE3-UNIV-RC-GY3	260W Total, 530mA, 160LED, 23657lm, 91LPW, 4000K, Type III, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	



RX1 & RX2

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	RX132I2NA3RNAN	36W Total, 350mA, 32LED, 3256lm, 91LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RX132I2NA5RNAN	52W Total, 530mA, 32LED, 4545lm, 87LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RX132I2NA7RNAN	72W Total, 700mA, 32LED, 5791lm, 81LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RX164I2NA5RNAN •	103W Total, 530mA, 64LED, 8950lm, 87LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	
---	RX2160I2NA5RNAN •	253W Total, 530mA, 160LED, 22979lm, 91LPW, 4000K, Type II, Universal Electronic Driver, Twist-Lock Photocell Receptacle, Grey Finish		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Some Garage & Canopy options may require extended lead times past 6 weeks. These options include yoke assemblies for post tops, tool-less hardware, non-standard tamperproof hardware, warm white and amber color LEDs, wall mount options for area lights, wire guards used on MTO products, specialty options that require brass or stainless steel decorative materials, specialty or non-standard lenses (such as polycarbonate lenses and sag lenses), modular and bi-level wiring, 50Hz electrical gear (non-standard ballasts), components requiring anodized finish, and special configurations such as wireless control systems.

Please confirm lead-time by contacting the order desk.

Garage & Canopy

Garage & Canopy



G3 Parking Garage and Canopy LED

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	STK-G3-5-2-73VAR-NW-UNIV-NP •	G3 Garage, T-5, 2-Board, 73W, NW, 6341 Lumens, 120/277V, Natural Paint	✓		C
---	STK-G3-5-2-73VAR-CW-UNIV-NP •	G3 Garage, T-5, 2-Board, 73W, CW, 6341 Lumens, 120/277V, Natural Paint	✓		C
---	STK-G3-MR-5-2-73VAR-NW-120/277-NP •	G3 Garage, Motion Response, T-5, 2-Board, 73W, NW, 6341 Lm, 120/277V, Natural Paint	✓		C
---	STK-G3-MR-5-2-73VAR-CW-120/277-NP •	G3 Garage, Motion Response, T-5, 2-Board, 73W, CW, 6341 Lm, 120/277V, Natural Paint	✓		C
---	STK-G3-5-1-55LA-161A-NW-UNIV-NP •	G3 Garage, T-5, 1-Board, 55W, NW, 4423 Lm, 120/277V, Natural Paint	✓		C
---	STK-G3-5-1-55LA-161A-CW-UNIV-NP •	G3 Garage, T-5, 1-Board, 55W, CW, 4423 Lm, 120/277V, Natural Paint	✓		C
---	STK-G3-MR-5-1-55LA-161A-NW-120/277-NP •	G3 Garage, Motion Response, T-5, 1-Board, 55W, Neutral White, 4423 Lm, 120/277V, Natural Paint	✓		C
---	STK-G3-MR-5-1-55LA-161A-CW-120/277-NP •	G3 Garage, Motion Response, T-5, 1-Board, 55W, CW, 4423 Lm, 120/277V, Natural Paint	✓		C
---	STK-PB-NP •	Balanced J-Box for Pendant Mount, Natural Paint, 12" Minimum Pendant Required by Others	✓		C



Designer Canopy LED

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034956437	DCL20LED4K-8 •	Designer Canopy LED, 20 Hi-Lumen LEDs, 4700K Color Temp, Multi-Tap, Bronze	✓		C,N



Signature Canopy Light HID

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603474967	SCL255PMA-8 •	Signature Canopy Light, 250W PS 120-277V Canopy, Type 5	✓		C,N
78603483418	SCL405PMAL-8 •	Signature Canopy Light, 400W PS 120-277V Canopy, Type 5	✓		C,N
78603407048	SCLLENS	SCL Replacement Lens	✓		C,N



Twilghter Series Canopy HID

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034945851	TLC51NLXL-1 •	Twilghter Series, 50W HPS 120V, w/Lamp, Bronze	✓		C,N
786034945868	TLC51NMAL-1 •	Twilghter Series, 50W MH 120V, w/Lamp, Bronze	✓		C,N
786034945875	TLC71NLXL-1 •	Twilghter Series, 70W HPS 120V, w/Lamp, Bronze	✓		C,N



Lyte Cube Series Canopy HID

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034893299	LCQ155PMAL-8 •	Lyte Cube, 150W, PMA Multi-Tap, w/Lamp, Bronze	✓		C,N
78603438011	LCQ552	LCQ Replacement Lens	✓		C,N



Lyte Prism Series Canopy Induction

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034801560	LPQ85840IND-4 •	Lyte Prism Induction, 85W, 4000K Color Temp, 200/277V, w/Lamp, Bronze	✓		C,N
78603458078	LPQ552	LPQ Replacement Lens	✓		C,N

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Some Flood options may require extended lead times past 6 weeks. These options include yoke assemblies for post tops, tool-less hardware, non-standard tamperproof hardware, warm white and amber color LEDs, wall mount options for area lights, wire guards used on MTO products, specialty options that require brass or stainless steel decorative materials, specialty or non-standard lenses (such as polycarbonate lenses and sag lenses), modular and bi-level wiring, 50Hz electrical gear (non-standard ballasts), components requiring anodized finish, and special configurations such as wireless control systems.

Please confirm lead-time by contacting the order desk.

Floodlights

Floodlights



LytePro LED Floodlight

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034956925	STKLPF1K-8 •	Stock LPF1, 4000K, Flood, Knuckle Mount, 120-277V, Textured Dark Bronze, (equal to LPF1-E-4K-FL-K-8-BZ)	✓		C,N
786034956932	STKLPF2K-8 •	Stock LPF2, 4000K, Flood, Knuckle Mount, 120-277V, Textured Dark Bronze, (equal to LPF2-E-4K-FL-K-8-BZ)	✓		C,N
786034956949	STKLPF3S-8 •	Stock LPF3, 4000K, Flood, Slip Fitter, 120-277V, Textured Dark Bronze, (equal to LPF3-C-4K-FL-S-8-BZ)	✓		C,N
786034956956	STKLPF4S-8 •	Stock LPF4, 4000K, Flood, Slip Fitter, 120-277V, Textured Dark Bronze, (equal to LPF4-C-4K-FL-S-8-BZ)	✓		C,N
786034956963	STKLPF4T-8 •	Stock LPF4, 4000K, Flood, Trunnion, 120-277V, Textured Dark Bronze, (equal to LPF4-C-4K-FL-T-8-BZ)	✓		C,N
786034956987	LPF1WG •	LPF1 Wire Guard Accessory	✓		C,N
786034956994	LPF2WG •	LPF2 Wire Guard Accessory	✓		C,N
786034957007	LPF3WG •	LPF3 Wire Guard Accessory	✓		C,N
786034957014	LPF4WG •	LPF4 Wire Guard Accessory	✓		C,N
786034957373	LPF1SG •	LPF1 Stone Guard Accessory	✓		C,N
786034957380	LPF2SG •	LPF2 Stone Guard Accessory	✓		C,N
786034957397	LPF3SG •	LPF3 Stone Guard Accessory	✓		C,N
786034957403	LPF4SG •	LPF4 Stone Guard Accessory	✓		C,N
786034957366	LPFW10BZ •	LPF1 & LPF2 Wall/Surface Adaptor Accessory, Textured Dark Bronze	✓		C,N
786034957588	LPFW10WH	LPF1 & LPF2 Wall/Surface Adaptor Accessory, Textured White	✓		C,N
786034957595	LPFW10DGY	LPF1 & LPF2 Wall/Surface Adaptor Accessory, Textured Dark Gray	✓		C,N

Additional configurations of the LytePro Flood may be available for 10-day ship. Please contact factory with inquiries.



EQ Series Quartz Flood

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034484244	EQ500L •	EQ Quartz Flood, No Lens Frame, 500W, w/Lamp, Bronze	✓		C



EQX Series Quartz Flood

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034484268	EQX1500 •	EQ Quartz Flood w/Lens Frame, 1500W, Bronze *1500W Lamp Ordered Separately (Available in 208, 240 and 277V Only)	✓		C
786034484466	EQX150LBRZ •	EQ Quartz Flood w/Lens Frame, 150W, w/Lamp, Bronze	✓		C
786034484459	EQX150LWHT •	EQ Quartz Flood w/Lens Frame, 150W, w/Lamp, White	✓		C
786034484282	EQX500L •	EQ Quartz Flood w/Lens Frame, 500W, w/Lamp, Bronze	✓		C
786034484305	EQX500LWHT •	EQ Quartz Flood w/Lens Frame, 500W, w/Lamp, White	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Luminaire Smart
Service Guide
.....
Indoor/Outdoor
.....

GP Flood Series HID

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034853569	GP2A150PMAL-6 •	GP2 Small Floodlight 150W PMA Dual Voltage, w/Lamp, Bronze	✓		C
786034859158	GP3S400PMAL-8 •	GP3 Medium Floodlight 400W PMA Multi-Tap, w/Lamp & Tenon Slip Fitter, Bronze	✓		C
786034878906	GP3T250PMAL-8 •	GP3 Medium Floodlight 250W PMA Multi-Tap, w/Lamp & Trunnion Mount, Bronze	✓		C
786034874953	GP3T400PMAL-8 •	GP3 Medium Floodlight 400W PMA Multi-Tap, w/Lamp & Trunnion Mount, Bronze	✓		C
786034843850	GP5S1000MAL-8 •	GP5 X-Large Floodlight 1000W MH Multi-Tap, w/Lamp & Tenon Slip Fitter, Bronze	✓		C
786034844017	GP5T1000MAL-8 •	GP5 X-Large Floodlight 1000W MH Multi-Tap, w/Lamp & Trunnion Mount, Bronze	✓		C



Mini-Flood Series HID

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034839792	SLA101MAL-6 •	Mini-Flood Dual Voltage 100W MH, w/Lamp, Bronze	✓		C
786034893466	SLA150PMAL-6 •	Mini-Flood Dual Voltage 150W PMA, w/Lamp, Bronze	✓		C
786034839815	SLA151NLXL-1 •	Mini-Flood 120V 150W HPS, w/Lamp, Bronze	✓		C
786034839846	SLA71MAL-6 •	Mini-Flood Dual Voltage 70W MH, w/Lamp, Bronze	✓		C
786034839853	SLA71NLXL-1 •	Mini-Flood 120V 70W HPS, w/Lamp, Bronze	✓		C



Maxi-Flood Series HID

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034768146	SLM250PMAL-8 •	Maxi-Flood, Multi-Tap, 250W PS, w/Lamp, Bronze	✓		C
786034895934	SLM400PMAL-8 •	Maxi-Flood, Multi-Tap, 400W PS, w/Lamp, Bronze	✓		C
78603437509	SLM552	SLM Replacement Lens	✓		C

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Flood/Wall Mount



FloodPak Large (FPL)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603482886	FPL400PMAL-8 •	FloodPak Large 400W PSMH MT w/Lamp, Bronze	✓		C
78603478757	FPL250PMAL-8 •	FloodPak Large 250W PSMH MT w/Lamp, Bronze	✓		C
78603477168	FPLARM	Shoebox Arm, Converts FloodPak to pole-mount (minimum 4" square pole, FPL)	✓		C
78603477169	FPLKNUCKLE	Adjustable 2" Tenon Slipfitter (FPL), Bronze	✓		C



FloodPak Medium (FPM)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603476571	FPM150PMAL-8 •	FloodPak Medium 150W PSMH MT w/Lamp, Bronze	✓		C
78603476570	FPM100PMAL-8 •	FloodPak Medium 100W PSMH MT w/Lamp, Bronze	✓		C
78603477132	FPM70PMAL-8 •	FloodPak Medium 70W PSMH MT w/Lamp, Bronze	✓		C
78603478184	FPM552	Replacement Lens Medium FloodPak, Bronze	✓		C



FloodPak Small (FPS)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603476423	FPS150NLXL-1 •	FloodPak Small 150W HPS 120V w/Lamp, Bronze	✓		C
78603476575	FPS70NLXL-1 •	FloodPak Small 70W HPS 120V w/Lamp, Bronze	✓		C
78603477297	FPS42HFL-8 •	FloodPak Small 42W CFL MT, Bronze	✓		C

FloodPak Accessories

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603477172	FPSARM	Arm, converts FloodPak to pole-mount (minimum 4" square pole, FPS, FPM)	✓		C
78603495887	FPSKNUCKLE	1/2" adjustable knuckle (FPS, FPM)	✓		C
78603477489	FPSRPA	Round pole adaptor for FloodPak Small/Medium	✓		C



Lamp Holders

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
783371020319	30KL	150W, Max Lamp Holder	✓		C
783372020325	3300BULK	Lampholder, Smooth Zinc Finish	✓		C
783373020331	3300WHT	Lampholder, White Finish	✓		C
783377020375	6400E	500W Power Beam, Aluminum Finish Enclosed	✓		C
783446021067	V4400	75 W - 300W Natural Aluminum Open Flood	✓		C
783447021073	V4400E	74W - 300W Natural Aluminum Enclosed Flood	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Some Wall options may require extended lead times past 6 weeks. These options include yoke assemblies for post tops, tool-less hardware, non-standard tamperproof hardware, warm white and amber color LEDs, wall mount options for area lights, wire guards used on MTO products, specialty options that require brass or stainless steel decorative materials, specialty or non-standard lenses (such as polycarbonate lenses and sag lenses), modular and bi-level wiring, 50Hz electrical gear (non-standard ballasts), components requiring anodized finish, and special configurations such as wireless control systems.

Please confirm lead-time by contacting the order desk.

Wall Mount

Wall Mount

Wall Packs



Large Glass Refractor LED Wall Pack (WP)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034956468	WPLED32704KUNVP •	WP WallPrism LED, 32 LED, 68W, 4000K, 120-277V, Bronze	✓		C



Large Glass Refractor Wall Pack (WP)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603492074	WP401PMAL-8 •	WP WallPrism, 400W PSMH, MT w/Lamp, Bronze	✓		C
78603472900	WP401LX-8 •	WP WallPrism, 400W HPS, MT, Bronze	✓		C
78603489277	WP401PMA-8 •	WP WallPrism, 400W PSMH, MT, Bronze	✓		C
78603492073	WP251PMAL-8 •	WP WallPrism, 250W PSMH, MT w/Lamp, Bronze	✓		C
78603472899	WP251LX-8 •	WP WallPrism, 250W HPS, MT, Bronze	✓		C
78603489276	WP251PMA-8 •	WP WallPrism 250W PSMH MT, Bronze	✓		C
78603472904	52352	WP Replacement glass, gasket, hardware, door lens kit	✓		C
78603433905	52352	WP Replacement glass, gasket, hardware, door lens kit	✓		C
78603423584	530S	WP Steel Wire Guard	✓		C



Medium Glass Refractor LED Wall Pack (WPM)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034956475	WPMLED16704KUNVP •	WPM WallPrism LED, 16 LED, 35W, 4000K, 120-277V, Bronze	✓		C



Medium Glass Refractor Wall Pack (WPM)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603489098	WNPM150PMAL-8 •	WPM WallPrism 150W PSMH MT w/Lamp, Bronze	✓		C
78603474343	WNPM151NLXL-1 •	WPM WallPrism 150W HPS 120V w/Lamp, Bronze	✓		C
78603471950	WPM150LXL-8 •	WPM WallPrism 150W HPS MT w/Lamp, Bronze	✓		C
78603474342	WNPM101MAL-6 •	WPM WallPrism 100W PSMH 120/277V w/Lamp, Bronze	✓		C
78603469983	WPM71MAL-6 •	WPM WallPrism 70W PSMH 120/277V w/Lamp, Bronze	✓		C
78603422689	32352	WPM Replacement glass, gasket, hardWare, door lens kit	✓		C
78603410471	330S	WPM Steel Wire Guard	✓		C
78603410472	335S	WPM Clear polycarbonate shield	✓		C

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Small Glass Refractor Wall Pack (WLT)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340531718	WLT100MMT-LP-A •	WLT Glass Wall Pack, 100W MH MT w/Lamp	✓		C
734340531695	WLT070MMT-LP-A •	WLT Glass Wall Pack, 70W MH MT w/Lamp	✓		C
734340531633	WLT050MDT-LP-A •	WLT Glass Wall Pack, 50W MH MT w/Lamp	✓		C



Small Polycarbonate Refractor Wall Pack (WNPS)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603426688	WNPS101NLXL-1 •	Mini-WallPrism, 100W HPS, 120V w/Lamp, Bronze	✓		C
78603426687	WNPS70NLXL-1 •	Mini-WallPrism 120V 70W HPS w/Lamp, Bronze	✓		C
78603426690	WNPS552	Mini-WallPrism Replacement Lens	✓		C



Small Tall Glass Refractor Wall Pack (WPG)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
734340531732	WPG100MMT-LP-A •	WPG Glass Wall Pack 100W MH MT w/Lamp	✓		C
734340531725	WPG070MMT-LP-A •	WPG Glass Wall Pack 70W MH MT w/Lamp	✓		C
782343365380	WPG050MMT-LP •	WPG Glass Wall Pack 50W MH MT w/Lamp	✓		C



Small Tall Polycarbonate Refractor LED Wall Pack (TLW)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603495644	TLW10LED4KPCB-1 •	TLW LED Wall Pack, 14W, 120V, 4000K, Photocontrol, Bronze	✓		C



Small Tall Polycarbonate Refractor Wall Pack (TLW)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603495818	TLW70NLXL-1 •	Twilighter Series WallPrism 70W HPS, 120V w/Lamp, Bronze	✓		C
78603433865	TLW70NLXLPC-1 •	Twilighter Series WallPrism 70W HPS 120V w/Lamp Photocontrol, Bronze	✓		C
78603474680	TLW42HFL-8 •	Twilighter Series WallPrism 42W CF 120-277V w/Lamp, Bronze	✓		C



Medium Full Cutoff Wall Pack (NPM)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603495013	NPM151PMAL-8 •	NytePro Wall Pack 150W PSMH, 120/277V w/Lamp, Bronze	✓		C
78603494738	NPM101PMAL-8 •	NytePro Wall Pack 100W PSMH, 120/277V w/Lamp, Bronze	✓		C
78603494739	NPM71PMAL-8 •	NytePro Wall Pack 70W PSMH, 120/277V w/Lamp, Bronze	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Sconces



LytePro Small LED Wall Sconce (LP16)


48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603495417	LP16T •	LP16 Wall Sconce, 16 LED, 40W, 4000K, Typ 3, 120-277V, Titanium	✓		C
78603495418	LP16W •	LP16 Wall Sconce, 16 LED, 40W, 4000K, Typ 3, 120-277V, White	✓		C



LytePro Small LED Wall Sconce (LP7)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603492862	LP7T •	LP7 Wall Sconce, 7 LED, 13W, 4000K, Typ 3, 120-240V, Titanium	✓		C
78603492863	LP7W •	LP7 Wall Sconce, 7 LED, 13W, 4000K, Typ 3, 120-240V, White	✓		C



LytePro Medium LED Wall Sconce (LP32)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603495679	LP32T •	LP32 Wall Sconce, 32 LED, 71W, 4000K, Typ 3, 120-277V, Titanium	✓		C
78603495680	LP32P •	LP32 Wall Sconce, 32 LED, 71W, 4000K, Typ 3, 120-277V, Bronze	✓		C
78603495681	LP32W •	LP32 Wall Sconce, 32 LED, 71W, 4000K, Typ 3, 120-277V, White	✓		C



Architectural Medium LED Wall Sconce (121)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	121-3-75LA-700MA-NW-UNIV-BRP-SPR	121 LED Architectural Wall Sconce, Typ 3, 75W, 4000K, 120-277V, Bronze		✓	
---	121-MR-3-75LA-700MA-NW-UNIV-BRP-SPR	121 LED Architectural Wall Sconce, Motion Response, Typ 3, 75W, 4000K, 120-277V, Bronze		✓	



Architectural Medium LED Wall Sconce (101L)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	101L-3-55LA-NW-UNIV-BRP	101 LED Architectural Wall Sconce, Typ 3, 55W, 4000K, 120-277V, Bronze		✓	



Architectural Medium Wall Sconce (101)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	101-MT-150MHQUAD-BRP	101 Architectural Wall Sconce, Medium Throw, 150W PSMH, MT, Bronze		✓	

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Architectural Medium LED Wall Sconce (104L)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	104L-3-55LA-NW-UNIV-BRP	104 LED Architectural Wall Sconce, Typ 3, 55W, 4000K, 120-277V, Bronze		✓	



Architectural Medium Wall Sconce (104)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	104-MT-150MHQUAD-BRP	104 Architectural Wall Sconce, Medium Throw, 150W PSMH, MT, Bronze		✓	



Architectural Small LED Wall Sconce (111L)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	111L-3-40LA-UNIV-NW-BRP-SPR	111 LED Architectural Mini Wall Sconce, Typ 3, 40W, 4000K, 120-277V, Bronze		✓	
---	111L-3-30LA-UNIV-NW-BRP-SPR	111 LED Architectural Mini Wall Sconce, Typ 3, 30W, 4000K, 120-277V, Bronze		✓	



Architectural Small Wall Sconce (111)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	111-MT-70MHQUAD-BRP	111 Architectural Mini Wall Sconce, Medium Throw, 70W PSMH, MT, Bronze		✓	

General Purpose



LED Wall Light (LWL)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034957359	LWLLED1C5K120PCBBZ •	LED Wall Light, 5000K, 12W, 120V, Photocell, Bronze	✓		C

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Some Site & Area options may require extended lead times past 6 weeks. These options include yoke assemblies for post tops, tool-less hardware, non-standard tamperproof hardware, warm white and amber color LEDs, wall mount options for area lights, wire guards used on MTO products, specialty options that require brass or stainless steel decorative materials, specialty or non-standard lenses (such as polycarbonate lenses and sag lenses), modular and bi-level wiring, 50Hz electrical gear (non-standard ballasts), components requiring anodized finish, and special configurations such as wireless control systems.

Please confirm lead-time by contacting the order desk.

Site & Area



EcoForm LED (ECF)

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	RS-ECF-3-215LA-641A-NW-UNV-BRP	ECF Area Light, Typ 3, 215W, 64 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-4-215LA-641A-NW-UNV-BRP	ECF Area Light, Typ 4, 215W, 64 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-5-215LA-641A-NW-UNV-BRP	ECF Area Light, Typ 5, 215W, 64 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-3-215LA-641A-NW-HVU-BRP	ECF Area Light, Typ 3, 215W, 64 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-4-215LA-641A-NW-HVU-BRP	ECF Area Light, Typ 4, 215W, 64 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-5-215LA-641A-NW-HVU-BRP	ECF Area Light, Typ 5, 215W, 64 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-3-160LA-481A-NW-UNV-BRP	ECF Area Light, Typ 3, 160W, 48 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-4-160LA-481A-NW-UNV-BRP	ECF Area Light, Typ 4, 160W, 48 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-5-160LA-481A-NW-UNV-BRP	ECF Area Light, Typ 5, 160W, 48 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-3-160LA-481A-NW-HVU-BRP	ECF Area Light, Typ 3, 160W, 48 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-4-160LA-481A-NW-HVU-BRP	ECF Area Light, Typ 4, 160W, 48 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-5-160LA-481A-NW-HVU-BRP	ECF Area Light, Typ 5, 160W, 48 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-3-105LA-4870-NW-HVU-BRP	ECF Area Light, Typ 3, 105W, 48 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-4-105LA-4870-NW-HVU-BRP	ECF Area Light, Typ 4, 105W, 48 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-5-105LA-4870-NW-HVU-BRP	ECF Area Light, Typ 5, 105W, 48 LED, 4000K, 347-480V, Bronze		✓	
---	RS-ECF-3-105LA-321A-NW-UNV-BRP	ECF Area Light, Typ 3, 105W, 32 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-4-105LA-321A-NW-UNV-BRP	ECF Area Light, Typ 4, 105W, 32 LED, 4000K, 120-277V, Bronze		✓	
---	RS-ECF-5-105LA-321A-NW-UNV-BRP	ECF Area Light, Typ 5, 105W, 32 LED, 4000K, 120-277V, Bronze		✓	
---	ECF-RAM-BRP	ECF Retrofit Arm Kit, Bronze, Round/Square Pole 4"		✓	



Dusk to Dawn LED (DTD)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
786034957601	DTDLED1C5K120GY3SP •	DTD LED, 5000K, 39W 120V, light gray, NEMA PC	✓		C
786034957199	DTDARMGY3S •	DTD LED Arm, 1.5" dia steel, light gray	✓		C



Dusk to Dawn (DTD)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603426623	DTDA150NLXL-1 •	Dusk-To-Dawn, 150W, HPS, 120V w/Lamp	✓		C
78603426625	DTDA100NLXL-1 •	Dusk-To-Dawn, 100W, HPS, 120V w/Lamp	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Site & Area



MCL

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603403953	MCL4400PMA-8 •	MCL Shoebox 400W PSMH MT Type 4, Bronze	✓		C
78603478927	MCL3400PMA-8 •	MCL Shoebox 400W PSMH MT Type 3, Bronze	✓		C
78603478164	MCL3250PMA-8 •	MCL Shoebox 250W PSMH MT Type 3, Bronze	✓		C
78603470602	MCLHSS	MCL Shoebox House Side Shield	✓		C
78603423720	MCLRPA4	MCL Round Pole Adapter 4"	✓		C



Avalume (AVA)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	AVA-3/F-400PSMHQUAD-BRP	AVA Shoebox, Typ 3, 400W PSMH, MT, Bronze		✓	
---	AVA-3/F-250PSMHQUAD-BRP	AVA Shoebox, Typ 3, 250W PSMH, MT, Bronze		✓	
---	AVA-3/F-150PSMHQUAD-BRP	AVA Shoebox, Typ 3, 150W PSMH, MT, Bronze		✓	
---	AVA-5-400PSMHQUAD-BRP	AVA Shoebox, Typ 5, 400W PSMH, MT, Bronze		✓	
---	AVA-5-250PSMHQUAD-BRP	AVA Shoebox, Typ 5, 250W PSMH, MT, Bronze		✓	
---	AVA-5-150PSMHQUAD-BRP	AVA Shoebox, Typ 5, 150W PSMH, MT, Bronze		✓	



Ecolume (ECA)

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	ECA18-3H-400PSMHQUAD-BRP	ECA18 Area Light, Typ 3, 400W PSMH, MT, Bronze (requires choice of a mounting kit below, 1 per luminaire)		✓	
---	ECA18-3H-250PSMHQUAD-BRP	ECA18 Area Light, Typ 3, 250W PSMH, MT, Bronze (requires choice of a mounting kit below, 1 per luminaire)		✓	
---	ECA18-QH-400PSMHQUAD-BRP	ECA18 Area Light, Typ 5, 400W PSMH, MT, Bronze (requires choice of a mounting kit below, 1 per luminaire)		✓	
---	ECA18-QH-250PSMHQUAD-BRP	ECA18 Area Light, Typ 5, 250W PSMH, MT, Bronze (requires choice of a mounting kit below, 1 per luminaire)		✓	
---	710862121491	Mounting Kit, ECA18 Arm, Square Pole, Bronze		✓	
---	710862121477	Mounting Kit, ECA18 Arm, 1.25R Round Pole, Bronze		✓	
---	710862121484	Mounting Kit, ECA18 Arm, 2R Round Pole, Bronze		✓	

Anchor Bolts

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
---	443560020760	Anchor Bolt, 5/8" X 18" X 3.62" (1 Each with double nuts/double washers)	✓		C
---	443560018450	Anchor Bolt, 3/4" X 18" X 3.75" (1 Each with double nuts/double washers)	✓		C
---	1-36-45	Anchor Bolt, 1" X 36" X 4.5" (1 Each with double nuts/double washers)	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Special Purpose

Special Purpose

Vaportite



Roughlyte Luminaires

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603408020	VCXL11GC3/4	Roughlyte Ceiling Mount 100W Glass Globe Cast Guard w/ 3/4" Conduit Taps	✓		C
78603487142	VCXL11GCN •	Roughlyte Ceiling Mount 100W Glass Globe Cast Guard	✓		C
78603419580	VCXL11K •	Roughlyte Ceiling Mount 100W Glass Globe	✓		C
78603419630	VCXL21GC •	Roughlyte Ceiling Mount 200W Glass Globe Cast Guard	✓		C
78603495863	VCXL21GC3/4	Roughlyte Ceiling Mount 200W Glass Globe Cast Guard w/ 3/4" Conduit Taps	✓		C
78603419590	VCXL21K •	Roughlyte Ceiling Mount 200W Glass Globe	✓		C
78603484536	VCXL26HFLEB-8 •	Roughlyte Ceiling Mount 26W CF Glass Globe Cast Guard w/Lamp, 120V	✓		C
78603419570	VCXL10A	Roughlyte Ceiling Mount 75W Lexan Globe	✓		C
78603419320	VK1GC •	Roughlyte Surface/Ceiling Mount 100W Glass Globe Cast Guard	✓		C
78603419280	VK1K •	Roughlyte Surface/Ceiling Mount 100W Glass Globe	✓		C
78603419330	VK2GC •	Roughlyte Surface/Ceiling Mount 200W Glass Globe Cast Guard	✓		C
78603419720	VW1GC •	Roughlyte Wall Mount 100W Glass Globe Cast Guard	✓		C
78603419680	VW1K •	Roughlyte Wall Mount 100W Glass Globe	✓		C
78603419730	VW2GC •	Roughlyte Wall Mount 200W Glass Globe Cast Guard	✓		C
78603419870	VWXL10A	Roughlyte Wall Mount 75W Lexan Globe	✓		C
78603419840	VWXL11 •	Roughlyte Wall Mount 100W Glass Globe	✓		C
78603487143	VWXL11GCN •	Roughlyte Wall Mount 100W Glass Globe Cast Guard	✓		C
78603419930	VWXL21GC •	Roughlyte Wall Mount 200W Glass Globe Cast Guard	✓		C
78603482180	VWXL26HFLEB-8 •	Roughlyte Wall Mount 26W CF Glass Globe Cast Guard, 120V w/Lamp	✓		C
78603478867	VWXL32HFLEB-8 •	Roughlyte Wall Mount 32W CF Glass Globe Cast Guard, 120V w/Lamp	✓		C
78603476991	VWXL42HFLEB-8 •	Roughlyte Wall Mount 42W CF Glass Globe Cast Guard, 120V w/Lamp	✓		C
78603419220	VP11GC •	Roughlyte Pendant Mount 100W Glass Globe Cast Guard	✓		C
78603419230	VP21GC •	Roughlyte Pendant Mount 200W Glass Globe Cast Guard	✓		C

C = Carrollton, Texas F = Fontana, California N = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.



Roughlyte Adapters, Accessories, & Replacement Globes

Luminaire Smart
Service Guide
.....
Indoor/Outdoor
.....

48 Hours 2 Weeks

UPC Code	Catalog Number	Description	Service Smart	Spec Smart	Stocked In
78603420280	V127	Roughlyte Wireguard for globe diameter 3-1/2"	✓		C
78603420300	V131	Roughlyte Castguard for globe diameter 3-1/2"	✓		C
78603420310	V132	Roughlyte Castguard for globe diameter 4-3/8"	✓		C
78603420380	VCP	Roughlyte Adaptor plate used With VK/VW series (4" oct box/3.5" rnd box)	✓		C
78603419540	VCXL11	Roughlyte Box Mount Adaptor 4-1/4" dia	✓		C
78603420110	VGA100	Roughlyte Series 3-1/2" Globe Diameter Glass Amber (60W max)	✓		C
78693420120	VGB100	Roughlyte Series 3-1/2" Globe Diameter Glass Blue (60W max)	✓		C
78603495795	VGC100	Roughlyte Series 3-1/2" Globe Diameter Glass Clear	✓		C
78603420170	VGC200	Roughlyte Series 4-3/8" Globe Diameter Glass Clear	✓		C
78603420130	VGG100	Roughlyte Series 3-1/2" Globe Diameter Glass Green (60W max)	✓		C
78603420100	VGP100	Roughlyte Series 3-1/2" Globe Diameter Glass Clear, Prismatic	✓		C
78603420190	VGP200	Roughlyte Series 4-3/8" Globe Diameter Glass Clear, Prismatic	✓		C
78603420150	VGR100	Roughlyte Series 3-1/2" Globe Diameter Glass Ruby (60W max)	✓		C
78603419240	VK1	Roughlyte Round Surface Adapter 4-1/8" dia	✓		C
78603419250	VK2	Roughlyte Round Surface Adapter 5-1/8" dia	✓		C
78603419140	VP11	Roughlyte Pendant Adapter 4-1/8" dia	✓		C
78603420255	VPRC10	Roughlyte Series 4-3/8" Globe Diameter Lexan, Clear Prismatic (75W Max.)	✓		C
78603420250	VPRC5	Roughlyte Series 3-1/2" Globe Diameter Lexan, Clear Prismatic (60W Max.)	✓		C
78603419640	VW1	Roughlyte Wall adapter (for 100W Size)	✓		C
78603420440	VXL1	Roughlyte 4" Round Box W/ (4) 1/2" conduits taps	✓		C
78603420445	VXL13	Roughlyte 4" Round Box W/ (4) 3/4" conduits taps	✓		C

C = Carrollton, Texas **F** = Fontana, California **N** = Norwich, Connecticut

A blue dot "•" beside a blue catalog number indicates item is a recommended distributor shelf stock item.

Pictures are representative of product categories and may not illustrate the exact products listed on the pages of this guide.

Product information may change without notice. Contact your local Philips sales representative for additional product information.

Notes



© 2014 Koninklijke Philips N.V. All rights reserved. Philips reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

PLt-1338BR 10/14 philips.com/luminaires

Philips Lighting
North America Corporation
200 Franklin Square Drive
Somerset, NJ 08873
Tel. 855-486-2216

Imported by: Philips Lighting,
A division of Philips Electronics Ltd.
281 Hillmount Rd,
Markham, ON, Canada L6C 2S3
Tel. 800-668-9008